




**BUILT ON
FREEDOM.**

Latham[®]
HI-TECH SEEDS

PRODUCT GUIDE
2027

WELCOME TO LATHAM[®] COUNTRY

OUR MISSION

AT LATHAM HI-TECH SEEDS, we know family farming is only getting harder. We believe farmers should have trusted partners who provide *personalized solutions today*, so they can grow even *stronger legacies tomorrow*.



Latham[®]
HI-TECH SEEDS

TABLE OF CONTENTS

ABOUT LATHAM®

Our Brand, Programs, Research and Technologies

4

CORN

Better seed corn solutions start with a broad, deep portfolio of options. Corn products from 79 – 116 RM.

8

SOYBEANS

Producing soybean seed with a visible difference in quality. Soybeans from .08 – 3.5 RM.

28

ALFALFA

Industry-leading alfalfa genetics designed to meet the intense demands of today's livestock farmer.

52



A Legacy of Customer Commitment.



A Future of Opportunity.

AS WE INTRODUCE OUR 2027 PRODUCT GUIDE, I'M PROUD TO CELEBRATE A MILESTONE THAT MEANS A GREAT DEAL TO ME: LATHAM® HI-TECH SEEDS' 80TH ANNIVERSARY.

THE LATHAM STORY BEGAN IN 1947 ON MY GRANDPARENTS' farm near Alexander, Iowa. As most of you know, my grandfather, Willard Latham, was a livestock farmer and Iowa State graduate who saw a problem affecting farmers in his community. Oat smut was hurting yields, so he installed a grain cleaner in his granary to help improve seed quality for his neighbors. What started as a simple effort to help fellow farmers soon became the foundation of Latham® Seeds.

Over the past eight decades, the Latham® brand has evolved alongside agriculture. From those early days cleaning oats, we've grown into a regional seed brand serving farmers across seven states with industry-leading soybean and corn genetics. While much has changed, one thing has remained the same: our commitment to helping farmers succeed.

Today, many companies talk about being farmer focused. For us, it's more than a slogan. It's the standard we strive to uphold every day.

As our nation celebrates 250 years of independence, I'm reminded that both America and agriculture were built on

values like hard work, integrity, innovation and self-reliance.

Those same values continue to guide Latham today. We remain committed to investing in research, great people and strong relationships that help farm families thrive.

I'm especially excited about our 2027 lineup. From our new K-Class soybean products that combine outstanding yield potential with strong defensive traits to a corn lineup that continues to raise the bar for performance, I believe this is the strongest portfolio we've ever offered.

Thank you for your trust, your partnership and your support of the Latham® brand. We are honored to be part of your operation and grateful for the opportunity to serve farmers across the Upper Midwest.

Agriculture's future is bright, and we're excited to continue growing it together.

Here's to a successful 2027 season. Thank you for all that you do!

A handwritten signature in black ink that reads 'John Latham'.



FARMER *Focused*™ Since 1947

**IN 2026, AMERICA CELEBRATES 250 YEARS OF INDEPENDENCE.
AND THE LATHAM® BRAND KICKS OFF 80 YEARS OF SERVING FARMERS.**

While those anniversaries differ in scale, they share a common foundation: the belief that success is built through hard work, perseverance, innovation and the freedom to choose your own path. Those values have shaped American agriculture for generations.

FARMERS KNOW BETTER THAN ANYONE THAT success isn't guaranteed. Every season brings new opportunities, new technologies and new challenges. The best decisions are made by those who know their land, understand their operation and choose the solutions that work best for them.

That's the spirit that inspired Willard Latham when he started selling seed on his family farm in 1947. His goal wasn't simply to sell seed. It was to help farmers improve their operations and achieve greater success.

Eighty years later, that mission remains unchanged.

Being farmer focused means putting farmers at the center of every decision we make. It means evaluating products

based on field performance. It means providing access to diverse genetics and trait platforms. It means investing in agronomic expertise, research, and relationships that help farmers make informed decisions.

Most importantly, it means remembering who we work for.

As agriculture continues to evolve, Latham remains committed to providing the choices, innovation and support farmers need to succeed — not just for the next season, but for the next generations that follow.

Because products, technologies and farming practices may change . . . but our commitment never will.

Farmer Focused. Then. Now. Always.

Latham® Hi-Tech Seeds

BROAD RESEARCH

Local Focus.

Latham is uniquely positioned in the industry to bring farmers the best product available from our portfolio of genetic developers and our internal breeding program. This is enhanced through a broad testing and training program positioned across Latham® Country. The Latham Seeds portfolio is built on dealer and farmer inputs and needs. How we identify, evaluate and change the portfolio always starts at the farm.



BREEDING

The goal of plant breeding is to develop unique corn and soybeans offerings with input from you, the farmer, to meet the challenges faced by farmers across the Midwest.

ELITE TRIALS

Latham's Elite Trial program is focused on using replicated trials to gain insights on product performance across a variety of field environments and soil types. The results determine which experimental products earn their place in the next season's offerings.

SHOWCASE PLOTS


Latham Showcase Plots are planted by farmers, for farmers and are specifically designed to provide a comparison of established products to first-year-launch products.

Feedback from these plots is used to fine-tune product positioning recommendations for farmers.

TRAINING IN EXCELLENCE (TIE) PLOTS

Training in Excellence (TIE) plots are placed throughout Latham Country. These plots provide an excellent opportunity for dealers and customers to touch, feel and see the portfolio, as well as providing a glimpse of what the future holds for Latham growers.

Visit a Plot Near You!



Latham® Research Trials and Showcase Plots

● Showcase Plots

● Training in Excellence (TIE) Plots

● Research Plots

○ Multiple Plots



CORN

Maturity:

Add 50 to this number to calculate
(62 + 50 = 112-day maturity)

Latham®
Hybrid

Inventory
Number

Traits

LH 6226 PCE RA

The Latham® brand offers the very latest in proven technologies designed to fight weed resistance and battle insects like never before. We test all new technology developments for yield, quality and performance in the maturities we serve before we bring it into the lineup.

2027 TRAITS

CONVENTIONAL



GT
GLYPHOSATE
TOLERANT



Seed Corn **TECHNOLOGY****NEW!** Denotes a NEW product for 2027

This happy cow icon denotes a dual-purpose silage product.

SmartStax^{PRO}
RIB COMPLETE[®]

HYBRID	RM
LH 4438 SS PRO	94
LH 4648 SS PRO	96
LH 5008 SS PRO	100
NEW! LH 5128 SS PRO	101
NEW! LH 5358 SS PRO	103
NEW! LH 5418 SS PRO	104
LH 5578 SS PRO	105
NEW! LH 6038 SS PRO	110
NEW! LH 6278 SS PRO	112
LH 6338 SS PRO	113
NEW! LH 6348 SS PRO	113

VTDouble^{PRO}
RIB COMPLETE[®]

HYBRID	RM	HYBRID	RM
LH 3325 VT2 PRO	83	LH 5077 VT2 PRO	100
LH 3397 VT2 PRO	83	LH 5377 VT2 PRO	103
LH 3695 VT2 PRO	86	LH 5397 VT2 PRO DG	103
LH 3827 VT2 PRO	88	LH 5725 VT2 PRO	107
LH 3937 VT2 PRO	89	LH 5847 VT2 PRO	108
LH 4335 VT2 PRO	93	LH 5965 VT2 PRO	109
LH 4407 VT2 PRO	94	LH 6155 VT2 PRO	111
LH 4527 VT2 PRO DG	95	LH 6445 VT2 PRO	114
LH 4937 VT2 PRO	99	LH 6477 VT2 PRO	114
LH 4957 VT2 PRO	99	LH 6615 VT2 PRO	116

SmartStax[®]
RIB COMPLETE[®]

HYBRID	RM
LH 4909 SS RIB	99
LH 4989 SS RIB	99
LH 5559 SS RIB	105

E SERIES

HYBRID	RM
NEW! E 481 GT	98
NEW! E 530 G	103

**Roundup
Ready²**
CORN

HYBRID	RM
LH 3222 RR	82

**Duracade
Viptera[™]**
REFUGE RENEW[™]

HYBRID	RM
LH 5209 DV	102

Durastak[™]

HYBRID	RM
NEW! LH 5019 DS	100

DroughtGard®
HYBRIDS
VTDoublePRO®
RIB COMPLETE®

HYBRID	RM
LH 4527 VT2 PRO DG	95
LH 5397 VT2 PRO DG	103

Trecepta®
RIB COMPLETE®

HYBRID	RM
 NEW! LH 4573 TRE	95
NEW! LH 5213 TRE	102
LH 5233 TRE	102
NEW! LH 6243 TRE	112
NEW! LH 6483 TRE	114
NEW! LH 6533 TRE	115

CONVENTIONAL

HYBRID	RM	HYBRID	RM
 LH 4500	95	 LH 5420	104
 LH 4980	99	LH 5520	105
LH 5100	101	 LH 5850	108
 LH 5330	103	 LH 6220	112

**GT / GLYPHOSATE
TOLERANT**

HYBRID	RM
LH 4802 GT	98

POWERCORE®
Enlist
REFUGE ADVANCED®

HYBRID	RM	HYBRID	RM
NEW! LH 3286 PCE RA	82	 LH 5336 PCE RA	103
LH 3406 PCE RA	84	LH 5426 PCE RA	104
NEW! LH 3586 PCE RA	85	LH 5556 PCE RA	105
 LH 3746 PCE RA	87	LH 5626 PCE RA	106
LH 4116 PCE RA	91	NEW! LH 5756 PCE RA	107
 LH 4326 PCE RA	93	 LH 5856 PCE RA	108
 LH 4716 PCE RA	97	 LH 5906 PCE RA	109
 NEW! LH 4746 PCE RA	97	NEW! LH 5976 PCE RA	109
 LH 4986 PCE RA	99	NEW! LH 6126 PCE RA	111
LH 5106 PCE RA	101	 LH 6226 PCE RA	112
LH 5226 PCE RA	102	LH 6306 PCE RA	113

**Roundup
Ready® 2**
CORN
LEAFY

HYBRID	RM
 LH 4772 RR/LFY	97
 LH 5052 RR/LFY	100

Trait Mode of Action COMPARISON

With new technologies hitting the market each year, it's important to stay current on modes of action offered by each new trait stack. More information on modes of action is available from your local Latham® Hi-Tech Seeds rep.

TRAIT	INSECTS (MODE OF ACTION)								
	ABOVE GROUND							BELOW GROUND	
	Black Cutworm	Corn Earworm	European Corn Borer	Fall Armyworm	Stalk Borer	Southwestern Corn Borer	Western Bean Cutworm	Northern Corn Rootworm	Western Corn Rootworm
SmartStax®	1	2	3	3	1	3		2	2
SmartStax® PRO with RNAi Technology	1	2	3	3	1	3		3	3
VT4PRO™ with RNAi Technology	1	3	2	3	1	3	1	2	2
VT Double PRO® Corn		2	2	2	1	2			
Agrisure® Above (AA)	1		2	1	1	2			
DuracadeViptera™ (DV)	2	1	2	2	1	3	1	2	2
PowerCore® Enlist® (PCE)	1	2	3	3	1	3			
Trecepta®	1	3	2	3	1	3	1		
Agrisure® GT									
Roundup Ready® Corn 2									

1= Single Mode of Activity 2= Dual Mode of Activity 3= Triple Mode of Activity Mode of Action= Control of Pest

HERBICIDE TOLERANCE	TRAIT								
	SmartStax®	SmartStax® PRO with RNAi Technology	VT Double PRO® Corn	Agrisure® Above (AA)	DuracadeViptera™ (DV)	Powercore® Enlist® (PCE)	Trecepta®	Agrisure® GT	Roundup Ready® Corn 2
Glyphosate	✓	✓	✓	✓	✓	✓	✓	✓	✓
Glufosinate	✓	✓		✓	✓	✓			
Enlist 2,4-D						✓			
FOP						✓			

Checkmark= Tolerant Mode of Action= Control of Pest

Trait Technology Table

This checklist shows the specific events (genetic transformations) stacked to create each Bt trait package in the handy Bt Trait Table.

Events are grouped by target pest: caterpillar species (blue), corn rootworm (gold) and weeds (gray). The specific protein(s) expressed by each event are listed in the box directly below it, with Bt toxins in plain text and herbicide tolerance proteins in *italics*.

Trait packages, A-Z	EVENTS FOR INSECT CONTROL										WEED CONTROL		
	CATERPILLAR SPECIES					CORN ROOTWORM					HERBICIDE TOLERANCE		
	Bt11 Cry1Ab	MON 810 Cry1Ab	TC1507 CryIFa	MON 89034 Cry1A.105 Cry2Ab2	MIR 162 Vip3A	MON 88017 Cry3Bb1	MIR 604 mCry3A	5307 eCry3.1Ab	DAS 59122 Cry34Ab1 Cry35Ab1	MON 87411 Cry3Bb1 dvSnf7	GA21	NK603	DAS 40278
	1	1	1	2	1	1	1	1	2	1			
Modes of Activity	1	1	1	2	1	1	1	1	2	1			
Commonly referred to:	Bt11	YG	HX1	VTPro	vip3A		AS-RW	DC	HXRW	RNAi	GT	RR	Enlist
Agrisure® Above (Agrisure® 3120)	✓		✓								✓		
Agrisure® Total (Agrisure® 3122)	✓		✓				✓		✓		✓		
DuracadeViptera™ (Agrisure Duracade® 5222)	✓		✓		✓		✓	✓			✓		
SmartStax® RIB Complete®			✓	✓		✓			✓			✓	
SmartStax® PRO RIB Complete®			✓	✓		✓			✓	✓		✓	
VT Double PRO® RIB Complete®				✓								✓	
Trecepta® RIB Complete®				✓	✓							✓	
PowerCore® Enlist® Refuge Advanced®			✓	✓								✓	✓
VT4 PRO® w/RNAi Technology				✓	✓	✓				✓		✓	
QROME®		✓	✓				✓		✓			✓	

THE NEW STANDARD

ON-TARGET APPLICATIONS:

| 90% less drift than traditional 2,4-D | 96% less volatile than 2,4-D ester



Enlist Duo® and Enlist One® herbicides with Colex-D® technology are the only herbicides containing 2,4-D that are labeled for preemergence and postemergence use on PowerCore® Enlist® corn.

| 2,4-D choline | Glyphosate | Glufosinate | FOP Herbicides

- Convenient proprietary blend of 2,4-D choline and glyphosate
- The two modes of action work together to deliver control of yield-robbing weeds and help prevent resistance



- Straight goods 2,4-D choline with additional tank-mix flexibility
- Provides additional tank-mix flexibility with glyphosate, glufosinate and other qualified tank-mix products, allowing for a customized weed control program to fit each farm



CORN PERFORMANCE RATINGS

		AGRONOMICS												SILAGE		PLANT						DISEASE					
		Refuge Requirement	Relative Maturity	GDH Silk	GDH Black Layer	Early Vigor	Stay Green	Drydown	Test Weight	Drought Stress	Fungicide Response	Preferred Yield Environment	Preferred Population	Corn-on-Corn	Quantity	Quality	Stalk Strength	Root Strength	Plant Height	Ear Height	Ear Type	Ear Flex	Goss's Wilt	Northern Leaf Blight	Gray Leaf Spot	Tar Spot	Anthracoasne Stalk Rot
	LH 3222 RR	RIB	82	1096	2047	1.5	2	2	3	2	2	H,M,L	H,M	1	-	-	1	2	M	M	F	2	2	2	2	2	
NEW!	LH 3286 PCE RA	RA	82	1125	2105	3	3	3	3	-	3	H,M	H,M	2	-	-	2	2	M	M	F	2	2	2	-	2.5	2.5
	LH 3325 VT2 PRO	RIB	83	1096	2047	1.5	2	2	3	2	2	H,M,L	H,M	1	-	-	1	2	M	M	F	2	2	2	2	2	
	LH 3397 VT2 PRO	RIB	83	1090	2065	2	3	1.5	1.5	2	2	H,M,L	H,M	2	-	-	2.5	1.5	M	ML	D	4	2.5	2	3	3	
	LH 3406 PCE RA	RA	84	1145	2100	2	2	2	2	2	3	H,M,L	H,M	2	-	-	2	3	M	M	F	2	2.5	2	-	2	
NEW!	LH 3586 PCE RA	RA	85	1145	2140	3	2	3	3	3	2	H,M,L	H,M	2	2	2	3	1	M	MH	D	4	3	3	4	3	1.5
	LH 3695 VT2 PRO	RIB	86	1044	2015	1.5	2	1.5	2	3	1	H,M	H,M	4	-	-	1.5	3	MT	M	D	3.5	3	2.5	3.5	2	
	LH 3746 PCE RA	RA	87	1140	2270	2	2	2	3	3	2	H,M,L	H,M,L	3	3	1	2	3	MT	MH	F	2	2	2	3	2	
	LH 3827 VT2 PRO	RIB	88			2	2	2	3	3	2	H,M,L	H,M	3	2	2	2	2	MS	M	D	3	3	2	3	-	3
	LH 3937 VT2 PRO	RIB	89	1110	2225	1.5	2	2	2	2	2	H,M,L	H,M	3	-	-	1.5	1	M	M	D	3	3	1.5	3	2	
	LH 4116 PCE RA	RA	91	1200	2310	2	2	3	3	2	2	H,M,L	H,M	3	3	3	1	3	M	M	D	3.5	1.5	2	3	3	2.5
	LH 4326 PCE RA	RA	93	1220	2320	2	3	2.5	3	2	2	H,M,L	H,M,L	2	1	1	1	2	M	M	F	1.5	2	2.5	2.5	4	2.5
	LH 4335 VT2 PRO	RIB	93			2	2	1.5	1.5	2	1.5	H,M	M	3.5			2	2	M	M	F	1.5	2	2	3	ASR	
	LH 4407 VT2 PRO	RIB	94	1230	2360	2	3	3	3	3	1	H,M,L	H,M,L	3	1	1	2	2	MT	MH	F	2	3	3	4	ASR	
	LH 4438 SS PRO	RIB	94	1214	2367	2	2	1	2	2	1.5	H,M	M,L	2	-	-	1	1	M	M	F	2.5	2	2	2	ASR	
	LH 4500		95	1235	2390	2	2	3	3	2	2	H,M,L	H,M,L	2	1	1	3	2	MT	MH	F	2	1.5	2	2	2.5	
	LH 4527 VT2 PRO DG	RIB	95	1192	2324	1.5	2.5	1.5	1.5	2	1.5	M,L	M,L	4	-	-	2	2	MT	MH	F	2	3	3	3	3	
NEW!	LH 4573 TRE	RIB	95	1222	2383	2	2	3	3	1.5	1	H,M,L	M	2	1	2	2	2	M	ML	F	2	3	2	3	4	ASR
	LH 4648 SS PRO	RIB	96	1445	2818	1.5	1.5	3	3	1.5	3	H,M,L	M	1	-	-	1	1	MT	MH	F	2	2	2	3	2	ASR
	LH 4716 PCE RA	RA	97	1238	2417	2	3	2	2	3	-	M	H,M	3	1	2	1	3	T	MH	F	2	1	2	2	2	
NEW!	LH 4746 PCE RA	RA	97	1240	2385	2	2	3	3	2	2	H,M,L	M,L	2	1	3	2	2	MT	MH	F	1.5	1	3	3	2.5	2.5
	LH 4772 RR/LFY		97	1250		2	1.5	3	4	1.5	-	H,M,L	L	4	1	1	4	2.5	T	M	F	1	2	2.5	3		
NEW!	E 481 G		98		2430	2	3	2	2	2	-	H,M,L	H	4			2	2	M	M	D	2.5	3	2	3	2	
	LH 4802 GT		98		2430	2	3	2	2	2	-	H,M,L	H,M,L	4	-	-	2	2	MT	MT	D	2.5	3	2	3	2	
	LH 4909 SS	RIB	99	1255	2425	2	3	3	2	2	-	H,M,L	M,L	1	-	-	2	2	M	M	F	2	3	2	3	ASR	
	LH 4930		99	1237	2412	2	2	2	2	3	1	H,M	H,M	2	2	2	1.5	2	T	MH	F	2.5	2	3	2	1.5	
	LH 4937 VT2 PRO	RIB	99	1237	2412	2	2	2	2	3	1	H,M	H,M	2	2	2	1.5	2	T	MH	F	2.5	2	3	2	1.5	
	LH 4957 VT2 PRO	RIB	99	1246	2430	1.5	2	1.5	2	2	3	H,M,L	M,L	4	-	-	2	1.5	M	M	F	1.5	2	2	2	ASR	
	LH 4980		99	1290	2440	1.5	2	2.5	3	3	2	H,M,L	M,L	3	1	1	2	3	T	MH	F	2	2	2	4	2	2.5
	LH 4986 PCE RA	RA	99	1290	2440	1.5	2	2.5	3	3	2	H,M,L	M,L	2	1	1	2	3	T	MH	F	2	2	2	4	2	2.5
	LH 4989 SS	RIB	99	1260	2510	3	3	3	3	3	1	H,M	H,M,L	2	3	2	2	1.5	MT	M	F	2	3	2.5	3	ASR	
	LH 5008 SS PRO	RIB	100	1213	2365	2	2	1.5	2	3	1	H,M,L	H,M,L	2	-	-	1.5	1.5	MT	MH	F	2.5	2	2	3.5		
NEW!	LH 5019 Durastak	RIB	100			2	2	2	1	3	2	H,M	H,M,L	2	2	2	2	2	MT	M	F	2	2	3	-	2	-
	LH 5052 RR/LFY		100	1258	-	2	1.5	3	3	1.5	2	H,M,L	M,L	3	1	3	2.5	3	T	MH	F	2	2	2	3	-	
	LH 5077 VT2 PRO	RIB	100			2.5	3	2	3	2	2	H,M	H,M	3	-	-	2	2	M	M	F	2	2.5	2.5	2	3	
	LH 5100		101	1305	2445	1	2	1.5	3	3	2	H,M	M,L	3	2	2	2	2	MT	M	F	1	2	2	3	3	2
	LH 5106 PCE RA	RA	101	1305	2445	1	2	1.5	3	3	2	H,M	M,L	3	2	2	2	2	MT	M	F	1	2	2	3	3	2
NEW!	LH 5128 SS PRO	RIB	101	1361	2655	2	1.5	2	3	2	1	H,M,L	H,M	1	2	2	1	2	M	M	F	3.5	4	3	2	3	ASR
	LH 5209 DV	5222 EZR	102			2	1.5	2	3	3	2	H,M	M,L	2.5	1.5	2	2	1.5	M	M	F	2	2	2	2		

RATINGS SCALE

- 1.0 Excellent
2.0 Good
3.0 Average
4.0 Fair
5.0 Not Recommended

"-" Insufficient data

ASR Gene for Anthracnose Stalk Rot

Preferred Yield Environments: H= High, M= Medium or average, L= Low

Preferred Population: H= High, M= Medium or average, L= Low

Plant Height: S= Short, M= Medium, MT= Medium Tall, T= Tall

Ear Height: ML= Medium Low, M= Medium, MH= Medium High

Ear Type: F= Flex, D= Determinate

		AGRONOMICS												SILAGE		PLANT						DISEASE					
		Refuge Requirement	Relative Maturity	GDU Silk	GDU Black Layer	Early Vigor	Stay Green	Drydown	Test Weight	Drought Stress	Fungicide Response	Preferred Yield Environment	Preferred Population	Corn-on-Corn	Quantity	Quality	Stalk Strength	Root Strength	Plant Height	Ear Height	Ear Type	Ear Flex	Goss's Wilt	Northern Leaf Blight	Gray Leaf Spot	Tar Spot	Anthrachnose Stalk Rot
NEW!	LH 5213 TRE	RIB	102	1363	2659	2	1.5	3	2	1.5	2.5	H,M,L	H,M	2	-	-	2	2	M	M	F	3.5	2	3	2	2	
	LH 5226 PCE RA	RA	102	1250	2570	2	3	2	3	1	2	H,M,L	H,M,L	2	2	2	2	3	M	M	F	2	2	2	3		
	LH 5233 TRE	RIB	102	1265	2493	2	2	2	2	2	2	H,M,L	M	3	-	-	2	3	M	M	F	1	3	2	4	4	
	LH 5330		101	1275	2575	2	1	3	2	2	2	H,M,L	H,M,L	2	1	1	1	3	MT	M	F	2	1.5	2	3	2	1.5
NEW!	E 530 O	NA	103		2530	1.5	2	2	2.5	2	2	H,M,L	H	3	3	2	1	2	M	M	D	3	2	3	3	3	3
	LH 5336 PCE RA	RA	103	1275	2575	2	1	3	2	2	2	H,M,L	H,M,L	2	1	1	1	3	MT	M	F	2	1.5	2	3	2	1.5
NEW!	LH 5358 SS PRO	RIB	103	1328	2616	1	2.5	1.5	2	2	2.5	H,M,L	H,M	1	2	2	1	1	MT	M	F	3.5	1.5	2	1.5	2	ASR
	LH 5377 VT2 PRO	RIB	103	1290	2516	1.5	2	2	2	3	1	H,M	H,M	3.5	-	-	2	1.5	M	M	D	3.5	2	2	3		ASR
	LH 5397 VT2 PRO DG	RIB	103	1290	2605	2	3	1	3	1	1	H,M,L	M,L	2	2	3	2	3	MT	MH	F	1	2	4	2	4	ASR
NEW!	LH 5418 SS PRO	RIB	104	1322	2604	2	3	1.5	3	2.5	2	H,M,L	H,M	1	2	2	2	2	M	M	F	2	1	2	2	4	ASR
	LH 5420		104	1285	2610	2	3	3	3	3	2	H,M,L	H,M,L	2	1	1	3	3	MT	MH	F	1	2	3	3		2
	LH 5426 PCE RA	RA	104	1310	2444	2.5	2	2.5	3	2	2	H,M,L	H,M,L	2	3	3	2	2	M	ML	D	3	3	2	2	3	2
	LH 5520		105	1345	2475	2.5	2	2.5	2	2	2	H,M,L	H,M,L	2	2	2	2	2	MT	MH	F	2	2	2	3	2	2
	LH 5556 PCE RA	RA	105	1330	2700	2	2	3.5	2	2	2	H,M,L	H,M,L	2	-	-	2	1	MT	M	F	2	2	2	2		2.5
	LH 5559 SS	RIB	105	1345	2615	1.5	3	2	2	2	1.5	H,M,L	H,M	3	-	-	2.5	3	MT	M	F	2	1.5	3	2.5		2
	LH 5578 SS PRO	RIB	105	1287	2536	1.5	2	2	2	3	2	H,M	M	1	-	-	2	1	MT	M	F	2	1.5	2	4	3	ASR
	LH 5626 PCE RA	RA	106	1345	2475	2.5	2	2.5	2	2	2	H,M,L	H,M,L	2	2	2	2	2	MT	MH	F	2	2	2	3	2	2
	LH 5725 VT2 PRO	RIB	107			2	3.5	2.5	3	2.5	1	H,M	H,M	2.5	2	2	2.5	2	M	M	F	2.5	3	2.5	3	-	3.5
NEW!	LH 5756 PCE RA	RA	107	1305	2700	2	3	3	2	4	2	H,M	H,M	2	3	3	2	2	MT	M	F	2	2	3	3	3	2
	LH 5847 VT2 PRO	RIB	108	1333	2626	2	3	2	2	3	1.5	H,M	H,M	3	-	-	2.5	2	M	M	D	3	1	1.5	3		3
	LH 5850		108	1360	2535	2	2	2	2.5	2	2.5	H,M,L	H,M,L	1	1	1	2	2	MT	M	F	2	2	2	2	2	2
	LH 5856 PCE RA	RA	108	1360	2535	2	2	2	2.5	2	2.5	H,M,L	H,M,L	1	1	1	2	2	MT	M	F	2	2	2	2	2	2
	LH 5906 PCE RA	RA	109	1290	2605	2	2	2	3	3	2	H,M,L	H,M,L	2	1	2	1	2	M	M	F	2	2	4	2		2
	LH 5965 VT2 PRO	RIB	109			2.5	3	2	2.5	2	1.5	H,M	H,M,L	2.5	2	2	3	2.5	MT	M	F	2	2	2	3		3
NEW!	LH 5976 PCE RA	RA	109	1310	2760	2	3	3	3	3	2	H,M,L	M	2	2	2	2	2	MT	MH	F	2.5	2	3	3	3	2.5
NEW!	LH 6038 SS PRO	RIB	110	1315	2590	3	2	2	2	3	2	H,M	M	1	-	-	1	2	M	M	F	2	1	1	3	3	ASR
NEW!	LH 6126 PCE RA	RA	111	1340	2780	2	2	3	2	3	2	H,M,L	M	2	2	2	2	2	MT	MH	F	1.5	2	3	3	2	-
	LH 6155 VT2 PRO	RIB	111	1330	2780	1.5	3	3	1	2	2	H,M,L	H,M,L	2	3	3	2	2	MT	M	F	2	3	2	2		ASR
	LH 6220		112	1360	2597	3	3	2	2.5	2	2	H,M,L	M,L	3	1	1	2.5	2.5	MT	M	F	1	2	2	2	3	3
	LH 6226 PCE RA	RA	112	1360	2597	3	3	2	2.5	2	2	H,M,L	M,L	3	1	1	2.5	2.5	MT	M	F	1	2	2	2	3	3
NEW!	LH 6243 TRE	RIB	112	1333	2654	1	1	2	2	1.5	1.5	H,M,L	H,M	2	2	2	2	1	T	H	F	3.5	2	3	2	2	ASR
NEW!	LH 6278 SS PRO	RIB	112	1320	2610	1	3	1	3	3	1.5	H,M	M,L	1	2	2	2	1	MT	MH	F	1.5	2	3	3	3	ASR
	LH 6306 PCE RA	RA	113	1330	2830	2	2	3	2	2	2	H,M,L	H,M,L	2	2	3	2	3	MT	MH	F	2	2	3	2		2
	LH 6338 SS PRO	RIB	113	1347	2681	2	2	2	1	1	2.5	H,M,L	H,M,L	2	1	-	1	2	MT	M	F	2	1	2	2		ASR
NEW!	LH 6348 SS PRO	RIB	113	1375	2830	2	1	3	2	3	2	H,M,L	H,M	1	3	2	2	1.5	MT	MH	F	3.5	3	2	3	3	2
	LH 6445 VT2 PRO	RIB	114	1370	2855	2	2	3	2	1.5	2	H,M,L	H,M,L	2	3	3	2	2	MT	MH	F	2	2	2	2		ASR
	LH 6477 VT2 PRO	RIB	114	1424	2834	2	1	3.5	1.5	1	2.5	H,M,L	H,M,L	2	1	1	1.5	1.5	MT	MH	F	1.5	2.5	1.5	2		ASR
NEW!	LH 6483 TRE	RIB	114	1341	2670	2	3	2	2	1.5	3	H,M,L	M	2	2	2	2	2	M	M	F	2	2	2	2	2	ASR
NEW!	LH 6533 TRE	RIB	115	1356	2700	2	2	3	1	2	3	H,M,L	H,M	2	2	2	2	2	MT	M	F	1.5	2	2	2	2	ASR
	LH 6615 VT2 PRO	RIB	116	1350	2850	3	2	3	1	2	2	H,M,L	M	2	3	3	2	1	M	M	F	2	2.5	3	2	4	ASR

RATINGS
SCALE

1.0 Excellent
2.0 Good
3.0 Average
4.0 Fair
5.0 Not Recommended

“-” Insufficient data
ASR Gene for Anthracnose Stalk Rot

Preferred Yield Environments: H= High, M= Medium or average, L= Low
Preferred Population: H= High, M= Medium or average, L= Low
Plant Height: S= Short, M= Medium, MT= Medium Tall, T= Tall
Ear Height: ML= Medium Low, M= Medium, MH= Medium High
Ear Type: F= Flex, D= Determinate

INCREASE YIELDS

FieldXField®

CORN PLACEMENT

BRAND	Relative Maturity	Preferred Yield Environments			Preferred Populations		
		Highly Productive and Irrigated Fields	Moderately Productive Average Fields	Less Productive Stressed Fields	High Population Recommended	Medium Population Recommended	Low Population Recommended
LH 3222 RR	82	2	1	1	2	1	3
NEW! LH 3286 PCE RA	82	1	1	2	1	1	2
LH 3325 VT2 PRO	83	2	1	1	2	1	3
LH 3397 VT2 PRO	83	1	2	2	1	1	3
LH 3406 PCE RA	84	2	1	1	2	1	2
NEW! LH 3586 PCE RA	85	1	1	1	1	1	2
LH 3695 VT2 PRO	86	2	1	3	2	1	3
LH 3746 PCE RA	87	1	1	2	2	1	2
LH 3827 VT2 PRO	88	2	2	2	2	2	2
LH 3937 VT2 PRO	89	2	2	1	1	2	3
LH 4116 PCE RA	91	1	1	2	2	1	2
LH 4326 PCE RA	93	1	1	2	2	2	1
LH 4335 VT2 PRO	93	1	1	3	2	1	2
LH 4407 VT2 PRO	94	1	1	2	2	1	2
LH 4438 SS PRO	94	1	1	2	1	1	3
LH 4500	95	2	1	1	2	1	2
LH 4527 VT2 PRO DG	95	2	1	1	3	2	1
NEW! LH 4573 TRE	95	1	1	1	2	1	2
LH 4648 SS PRO	96	2	1	1	2	1	2
LH 4716 PCE RA	97	1	2	3	2	1	1
NEW! LH 4746 PCE RA	97	1	1	1	2	1	1
LH 4772 RR/LFY	97	2	2	1	3	2	1
NEW! E 481-G	98	1	1	2	1	1	3
LH 4802 GT	98	1	1	2	2	1	2
LH 4909 SS	99	1	1	1	3	2	1
LH 4930	99	2	1	2	1	2	3
LH 4937 VT2 PRO	99	2	1	2	1	2	3
LH 4957 VT2 PRO	99	1	1	2	3	2	1
LH 4980	99	1	1	2	3	2	1
LH 4986 PCE RA	99	1	1	2	3	2	1
LH 4989 SS	99	1	1	2	2	1	2
LH 5008 SS PRO	100	1	1	1	2	1	2
NEW! LH 5019 Durastak	100	1	1	2	2	1	2
LH 5052 RR/LFY	100	2	1	1	3	2	1
LH 5077 VT2 PRO	100	2	1	3	2	1	2

RATING SCALE

1.0 Excellent 2.0 Good 3.0 Average 4.0 Fair 5.0 Not Recommended


*These ratings are not a guarantee and can be influenced by environment, fertility and management practices.

BRAND	Relative Maturity	Preferred Yield Environments			Preferred Populations		
		Highly Productive and Irrigated Fields	Moderately Productive Average Fields	Less Productive Stressed Fields	High Population Recommended	Medium Population Recommended	Low Population Recommended
LH 5100	101	1	2	3	2	2	1
LH 5106 PCE RA	101	1	2	3	2	2	1
NEW! LH 5128 SS PRO	101	1	1	1	1	1	2
LH 5209 DV	102	1	2	3	2	1	2
NEW! LH 5213 TRE	102	1	1	1	1	1	2
LH 5226 PCE RA	102	1	1	1	2	2	1
LH 5233 TRE	102	1	1	2	2	1	2
NEW! E 530-0	103	2	1	2	2	1	2
LH 5330	103	2	1	2	2	1	2
LH 5336 PCE RA	103	2	1	2	2	1	2
NEW! LH 5358 SS PRO	103	1	1	1	1	1	2
LH 5377 VT2 PRO	103	2	1	3	1	2	3
LH 5397 VT2 PRO DG	103	1	1	1	2	2	1
NEW! LH 5418 SS PRO	104	1	1	1	1	1	2
LH 5420	104	1	1	1	2	1	2
LH 5426 PCE RA	104	1	1	2	1	1	2
LH 5520	105	1	1	2	2	1	2
LH 5556 PCE RA	105	1	1	1	2	1	2
LH 5559 SS	105	1	1	2	1	2	3
LH 5578 SS PRO	105	1	1	3	2	1	2
LH 5626 PCE RA	106	1	1	2	2	1	2
LH 5725 VT2 PRO	107	2	1	3	1	1	3
NEW! LH 5756 PCE RA	107	1	1	2	1	1	2
LH 5847 VT2 PRO	108	2	1	3	1	2	3
LH 5850	108	1	1	2	2	1	2
LH 5856 PCE RA	108	1	1	2	2	1	2
LH 5906 PCE RA	109	1	1	1	2	1	2
LH 5965 VT2 PRO	109	1	2	3	2	1	2
NEW! LH 5976 PCE RA	109	1	1	1	2	1	2
NEW! LH 6038 SS PRO	110	1	1	2	2	1	2
NEW! LH 6126 PCE RA	111	1	1	1	2	1	2
LH 6155 VT2 PRO	111	1	1	2	2	1	2
LH 6220	112	1	1	2	3	2	1
LH 6226 PCE RA	112	1	1	2	3	2	1
NEW! LH 6243 TRE	112	1	1	1	1	1	2
NEW! LH 6278 SS PRO	112	1	1	2	2	1	1
LH 6306 PCE RA	113	1	1	2	2	1	2
LH 6338 SS PRO	113	1	1	2	2	1	2
NEW! LH 6348 SS PRO	114	1	1	1	1	1	2
LH 6445 VT2 PRO	114	1	1	2	2	1	2
LH 6477 VT2 PRO	114	2	1	1	2	1	2
NEW! LH 6483 TRE	114	1	1	1	2	1	2
NEW! LH 6533 TRE	115	1	1	1	1	1	2
LH 6615 VT2 PRO	116	1	1	1	2	1	2


RATING SCALE

1.0 Excellent 2.0 Good 3.0 Average 4.0 Fair 5.0 Not Recommended


*These ratings are not a guarantee and can be influenced by environment, fertility and management practices.

LH 3222
RR**82**
RM


- Great overall disease and yield in this 82-day star!
- Great plant and ear height that is maintained in tougher conditions.
- Best performance when kept in zone and north.
- Great agronomics and disease package.

LH 3286
PCE RA**NEW****82**
RM


- Top-yielding PowerCore® Enlist® Corn for the early RM.
- Loves the moderate to higher yield environments.
- Flex ear style with very good Goss's Wilt tolerance.
- Excellent disease tolerances.

LH 3325
VT2 PRO**83**
RM


- Sets the pace in this maturity for yield and disease tolerance!
- Consistent ear size under various populations.
- Strong emergence and seedling vigor.
- Healthy plant with impressive disease tolerance.

LH 3406
PCE RA**84**
RM


- Outstanding yield potential PowerCore® Enlist® Corn with great grain quality!
- Prefers medium to higher population for best results.
- Best in zone and moves north well (Hwy 2).
- Very good stalks and seedling vigor.

LH 3586
PCE RA**NEW****85**
RM


- Excellent-yielding PowerCore® Enlist® Corn with full season intactness.
- Flared husk shows deep kernel, block ear style.
- Built for pushing into the higher populations.

LH 3695
VT2 PRO**86**
RM


- Proven performance over multiple years!
- Big girthy ears and very good stalks.
- Strong early vigor allows for planting in no-till conditions.
- Excellent drydown stalk strength late in season.

LH 3746
PCE RA**87**
RM

- High-yielding with with strong agnomics and health!
- Very good stalks and late season intactness.
- Strong flex ear with with deep kernel and flared husk.
- Strong Goss's Wilt; very good fungicide response.
- Sister to LH 4116 PCE.

LH 3937
VT2 PRO**89**
RM

- Superstar with excellent roots and stalks!
- Very adaptable for all soils and yield environments.
- Girthy, semi-flex ear.
- Very strong emergence and early vigor.

LH 4116
PCE RA**91**
RM

- High-yielding with with strong agnomics and health!
- Moderate plant structure.
- Strong emergence and seedling vigor.
- Very nice late season plant health.
- Sister to LH 3746 PCE.

LH 4326

PCE RA





STALK STRENGTH	1
ROOT STRENGTH	2
DRYDOWN	2.5
DROUGHT STRESS	2
CORN-ON-CORN	2
ANTHRACNOSE	2.5



5 4 3 2 1

- High-performing PowerCore® Enlist® Corn product!
- Excellent stalks and roots.
- Nice ear flex with very good drought tolerance.
- Dual purpose, very adaptable.

LH 4407

VT2 PRO





STALK STRENGTH	2
ROOT STRENGTH	2
DRYDOWN	3
DROUGHT STRESS	3
CORN-ON-CORN	3
ANTHRACNOSE	ASR



5 4 3 2 1

- Superstar with top-end yield, early vigor and excellent standability!
- Very good flexing-girthy ear style for all densities.
- Best performance in medium to high-yield environments.
- Great response from a fungicide.

LH 4438

SS PRO





STALK STRENGTH	1
ROOT STRENGTH	1
DRYDOWN	1
DROUGHT STRESS	2
CORN-ON-CORN	2
ANTHRACNOSE	ASR



5 4 3 2 1

- Strong SmartStax® PRO Corn product with high yield potential!
- Excellent stalks and roots! Keep in zone and north.
- Strong corn-on-corn product that is good on stress.
- Medium plant structure with girthy-flex ear.

	AGRONOMICS														SILAGE		PLANT						DISEASE						
	Refuge Requirement		Relative Maturity		GDU Silk	GDU Black Layer		Early Vigor	Stay Green	Drydown	Test Weight	Drought Stress	Fungicide Response	Preferred Yield Environment	Preferred Population	Corn-on-Corn	Quantity	Quality	Stalk Strength	Root Strength	Plant Height	Ear Height	Ear Type	Ear Flex	Goss's Wilt	Northern Leaf Blight	Gray Leaf Spot	Tar Spot	Anthracnose Stalk Rot
LH 3222 RR	NA	82	1096	2047	1.5	2	2	3	2	2	3	2	H,M,L	H,M	1	-	-	1	2	M	M	F	2	2	2	2	2	2	2
LH 3286 PCE RA	RA	82	1125	2105	3	3	3	3	2.5	3	H,M	H,M	2	-	-	2	2	M	M	F	2	2	2	-	2.5	2.5			
LH 3325 VT2 PRO	RIB	83	1096	2047	1.5	2	2	3	2	2	3	2	H,M,L	H,M	1	-	-	1	2	M	M	F	2	2	2	2	2	2	2
LH 3406 PCE RA	RA	84	1145	2100	2	2	2	2	2	2	3	H,M,L	H,M	2	-	-	2	3	M	M	F	2	2.5	2	-	2			
LH 3586 PCE RA	RA	85	1145	2140	3	2	3	3	3	2	H,M,L	H,M	2	2	2	3	1	M	MH	D	4	3	3	4	3	1.5			
LH 3695 VT2 PRO	RIB	86	1044	2015	1.5	2	1.5	2	3	1	H,M	H,M	4	-	-	1.5	3	MT	M	D	3.5	3	2.5	3.5	2				
LH 3746 PCE RA	RA	87	1140	2270	2	2	2	3	3	2	H,M,L	H,M,L	3	3	1	2	3	MT	MH	F	2	2	2	3	2				
LH 3937 VT2 PRO	RIB	89	1110	2225	1.5	2	2	2	2	2	H,M,L	H,M	3	-	-	1.5	1	M	M	D	3	3	1.5	3	2				
LH 4116 PCE RA	RA	91	1200	2310	2	2	3	3	2	2	H,M,L	H,M	3	3	3	1	3	M	M	D	3.5	1.5	2	3	3	2.5			
LH 4326 PCE RA	RA	93	1220	2320	2	3	2.5	3	2	2	H,M,L	H,M,L	2	1	1	1	2	M	M	F	1.5	2	2.5	2.5	4	2.5			
LH 4407 VT2 PRO	RIB	94	1230	2360	2	3	3	3	3	1	H,M,L	H,M,L	3	1	1	2	2	MT	MH	F	2	3	3	4	ASR				
LH 4438 SS PRO	RIB	94	1214	2367	2	2	1	2	2	1.5	H,M	M,L	2	-	-	1	1	M	M	F	2.5	2	2	2	ASR				

RATINGS SCALE

1.0 Excellent
2.0 Good
3.0 Average
4.0 Fair
5.0 Not Recommended

“.” Insufficient data

ASR Gene for Anthracnose Stalk Rot


Preferred Yield Environments: H= High, M= Medium or average, L= Low

Preferred Population: H= High, M= Medium or average, L= Low

Plant Height: S= Short, M= Medium, MT= Medium Tall, T= Tall

Ear Height: ML= Medium Low, M= Medium, MH= Medium High


Ear Type: F= Flex, D= Determinate

LH 4500**95**
RM**CONVENTIONAL**

- Strong conventional with good adaptability!
- Large flexing ear with deep kernels.
- Medium plant stature with semi-flex ear type.
- Strong performance in medium to lighter soils; excellent stress.

LH 4573**NEW**


TRE

95
RM**Trecepta**
RIB COMPLETE

- Excellent drought tolerance with solid agronomics.
- Strong stalks and roots.
- Avoid areas with a history of Tar Spot.
- Very high yield potential with new genetics.

LH 4648


SS PRO

96
RM**SmartStax** PRO
RIB COMPLETE

- Strong SmartStax® PRO Corn product with high yield potential!
- Very good stalks and roots.
- Very good drought tolerance.
- Good Tar Spot tolerance in a SmartStax® PRO Corn.

LH 4716


PCE RA

97
RM

- Great-yielding PowerCore® Enlist® Corn with outstanding stalk strength!
- Strong flex ear style on a taller plant.
- Keep on better ground for best results.
- Excellent overall disease package.

LH 4746


PCE RA

NEW**97**
RM

- Healthy PowerCore® Enlist® Corn with full season integrity.
- Flex-ear style with deep kernels.
- Built for medium yield environments and tough acres.
- Fast off the kernel growth and stand establishment.

LH 4772


RR/LFY

97
RM

- Exciting Leafy silage option.
- Very good agronomics.
- Full-floury leafy option to aid with starch digestibility.
- Plant a lower population to maximize true potential.

E481-G


GT

NEW**98**
RM**GT/GLYPHOSATE**
TOLERANT


- NEW and exciting GT offering with consistent top-end yield.
- Best results found with higher populations.
- Excellent stalks and roots.
- Semi-Flex ear that responds well to population.

LH 4909

SS

99
RM**SmartStax**
RIB COMPLETE

- Superstar SmartStax® Corn at 99 days!
- Impressively tough with medium stature and flex ear.
- Late-season intactness; high grain quality.
- Excellent corn-on corn choice with ASR gene.

LH 4930**99**
RM**CONVENTIONAL**

- Proven conventional product!
- Semi-flex with good test weight.
- Fast drydown, best results north.
- Sister to LH 4937 VT2 PRO.

LH 4980

99 RM

CONVENTIONAL



STALK STRENGTH	2
ROOT STRENGTH	3
DRYDOWN	2.5
DROUGHT STRESS	3
CORN-ON-CORN	3
ANTHRACNOSE	2.5



- Very solid, high-performing Conventional!
- Trendsetter for emergence and early season vigor.
- Very strong late season plant health with excellent drydown.
- Very adaptable dual-purpose.

LH 4986

99 RM

PCE RA




STALK STRENGTH	2
ROOT STRENGTH	3
DRYDOWN	2.5
DROUGHT STRESS	3
CORN-ON-CORN	2
ANTHRACNOSE	2.5



- High-performing PowerCore® Enlist® Corn!
- Trendsetter for emergence and early season vigor.
- Very strong late season plant health with excellent drydown.
- Dual purpose product; very adaptable.

LH 5019

100 RM

DURASTAK




STALK STRENGTH	2
ROOT STRENGTH	2
DRYDOWN	2
DROUGHT STRESS	3
CORN-ON-CORN	2
ANTHRACNOSE	-

- Outstanding new corn rootworm technology.
- High-yielding new product!
- Solid roots, stalks, and disease tolerance.
- Semi-flex product with broad adaptability.

		AGRONOMICS												SILAGE		PLANT						DISEASE					
		Refuge Requirement	Relative Maturity	GDU Silk	GDU Black Layer	Early Vigor	Stay Green	Drydown	Test Weight	Drought Stress	Fungicide Response	Preferred Yield Environment	Preferred Population	Corn-on-Corn	Quantity	Quality	Stalk Strength	Root Strength	Plant Height	Ear Height	Ear Type	Ear Flex	Goss's Wilt	Northern Leaf Blight	Gray Leaf Spot	Tar Spot	Anthracnose Stalk Rot
	LH 4500	NA	95	1235	2390	2	2	3	3	2	2	H,M,L	H,M,L	2	1	1	3	2	MT	MH	F	2	1.5	2	2	2.5	
	LH 4573 TRE	RIB	95	1222	2383	2	2	3	3	1.5	1	H,M,L	M	2	1	2	2	2	M	ML	F	2	3	2	3	4	ASR
	LH 4648 SS PRO	RIB	96	1445	2818	1.5	1.5	3	3	1.5	3	H,M,L	M	1	-	-	1	1	MT	MH	F	2	2	2	3	2	ASR
	LH 4716 PCE RA	RA	97	1238	2417	2	3	2	2	3	-	M	H,M	3	1	2	1	3	T	MH	F	2	1	2	2	2	
	LH 4746 PCE RA	RA	97	1240	2385	2	2	3	3	2	2	H,M,L	M,L	2	1	3	2	2	MT	MH	F	1.5	1	3	3	2.5	2.5
	LH 4772 RR/LFY	NA	97	1250		2	1.5	3	4	1.5	-	H,M,L	L	4	1	1	4	2.5	T	M	F	1	2	2.5	3		
	LH 481 GT	NA	98		2430	2	3	2	2	2	-	H,M,L	H,M,L	4	-	-	2	2	MT	MT	F	2.5	3	2	3	2	
	LH 4909 SS	RIB	99	1255	2425	2	3	3	2	2	-	H,M,L	M,L	1	-	-	2	2	M	M	F	2	3	2	3	ASR	
	LH 4930	NA	99	1230	2400	2	2	2	2	3	1	H,M	H,M	2	2	2	1.5	2	T	MH	F	2.5	2	3	2	3	1.5
	LH 4980	NA	99	1290	2440	1.5	2	2.5	3	3	2	H,M,L	M,L	3	1	1	2	3	T	MH	F	2	2	2	4	2	2.5
LH 4986 PCE RA	RA	99	1290	2440	1.5	2	2.5	3	3	2	H,M,L	M,L	2	1	1	2	3	T	MH	F	2	2	2	4	2	2.5	
LH 5019 Durastak	NA	100			2	2	2	1	3	2	H,M	H,M,L	2	2	2	2	2	MT	M	F	2	2	3	-	2	-	

RATINGS SCALE

1.0 Excellent
2.0 Good
3.0 Average
4.0 Fair
5.0 Not Recommended

“-” Insufficient data

ASR Gene for Anthracnose Stalk Rot


Preferred Yield Environments: H= High, M= Medium or average, L= Low

Preferred Population: H= High, M= Medium or average, L= Low


Plant Height: S= Short, M= Medium, MT= Medium Tall, T= Tall

Ear Height: ML= Medium Low, M= Medium, MH= Medium High


Ear Type: F= Flex, D= Determinate

LH 5052
RRLFY**95**
RM


- High-tonnage Leafy silage product.
- Excellent stress tolerance extends harvest window.
- Big, girthy ears with deep kernels on a white cob.
- Plant a lower population to maximize true potential.

LH 5100
CNV**101**
RM**CONVENTIONAL**


- High-performing, very solid Conventional!
- Excellent emergence and early season vigor.
- Very strong late season plant health with excellent drydown.
- Huge flex ear at lower populations.

LH 5106
PCE RA**101**
RM


- Very solid, high-performing PowerCore® Enlist® Corn!
- Excellent emergence and early season vigor.
- Very strong late season plant health with excellent drydown.
- Huge flex ear at lower populations.

LH 5128
SS PRO**NEW****101**
RM


- Very clean, full season intactness style product.
- Excellent staygreen, stalk quality, and greensnap tolerance.
- A great choice for tough corn-on-corn situations.

LH 5213
TRE**NEW****102**
RM


- Strong-yielding, fitted to all yield environments.
- Good Goss's Wilt scores and east-west movement.
- Strong roots and stalks.
- Contains ASR gene against Anthracnose.

LH 5226
PCE RA**102**
RM


- Very adaptable, high-performing PowerCore® Enlist® Corn!
- Great disease tolerance on a medium-sized plant.
- Flex in length ear style with kernel depth.
- Full season intactness. Use medium populations.

E530-O
CNV**NEW****103**
RM**CONVENTIONAL**

- E 530-O brand is a high-yielding new conventional.
- Works at medium populations but excels with high populations.
- Semi-fixed ear, with excellent stalks and roots.
- Strong stress tolerance; works in multiple soil types.

LH 5336
PCE RA**103**
RM

- Proven PowerCore® Enlist® Corn with great disease ratings.
- Long, girthy ears with high test weight.
- Late-season health/disease resistance.
- Great silage product for quantity and quality!

LH 5358
SS PRO**NEW****103**
RM

- Broad fit with flex ear fitting all yield environments.
- Excellent early vigor and strong drydown.
- Very good stalks, roots, and full season intactness.

LH 5377

VT2 PRO

103
RM

STALK STRENGTH	2
ROOT STRENGTH	1.5
DRYDOWN	2
DROUGHT STRESS	3
CORN-ON-CORN	3.5
ANTHRACNOSE	ASR

5 4 3 2 1

- Proven high-yielding product that moves south well!
- Strong emergence and vigor for reduced tillage.
- Plant at higher populations for best results.
- Strong stalks and roots with strong late-season intactness.

LH 5418

SS PRO

104
RM

STALK STRENGTH	2
ROOT STRENGTH	2
DRYDOWN	1.5
DROUGHT STRESS	2.5
CORN-ON-CORN	1
ANTHRACNOSE	ASR

5 4 3 2 1

- Medium size plant fitted to all yield environments.
- Prefers medium-high population in all yield levels.
- Very good greensnap and Goss's Wilt scoring.

LH 5420

CNV

104
RM

CONVENTIONAL

STALK STRENGTH	3
ROOT STRENGTH	3
DRYDOWN	3
DROUGHT STRESS	3
CORN-ON-CORN	2
ANTHRACNOSE	2

5 4 3 2 1

- Superstar conventional with robust, large ears and flex.
- Great late-season intactness, health and husk cover.
- Excellent in varying soils and yield levels.
- Excellent silage values for beef and milk per ton.

	AGRONOMICS													SILAGE		PLANT						DISEASE				
	Refuge Requirement	Relative Maturity	GDU Silk	GDU Black Layer	Early Vigor	Stay Green	Drydown	Test Weight	Drought Stress	Fungicide Response	Preferred Yield Environment	Preferred Population	Corn-on-Corn	Quantity	Quality	Stalk Strength	Root Strength	Plant Height	Ear Height	Ear Type	Ear Flex	Goss's Wilt	Northern Leaf Blight	Gray Leaf Spot	Tar Spot	Anthracnose Stalk Rot
LH 5052 RR/LFY	NA	100	1260	-	2	1.5	3	3	1.5	2	H,M,L	M,L	3	1	3	2.5	3	T	MH	F	2	2	2	3	-	
LH 5100	NA	101	1305	2445	1	2	1.5	3	3	2	H,M	M,L	3	2	2	2	2	MT	M	F	1	2	2	3	3	2
LH 5106 PCE RA	RA	101	1305	2445	1	2	1.5	3	3	2	H,M	M,L	3	2	2	2	2	MT	M	F	1	2	2	3	3	2
LH 5128 SS PRO	RIB	101	1361	2655	2	1.5	2	3	2	1	H,M,L	H,M	1	2	2	1	2	M	M	F	3.5	4	3	2	3	ASR
LH 5213 TRE	RIB	102	1363	2659	2	1.5	3	2	1.5	2.5	H,M,L	H,M	2	-	-	2	2	M	M	F	3.5	2	3	2	2	ASR
LH 5226 PCE RA	RA	102	1250	2570	2	3	2	3	1	2	H,M,L	H,M,L	2	2	2	2	3	M	M	F	2	2	2	3	2.5	
LH 530-0	NA	103		2530	1.5	2	2	2.5	2	2	H,M,L	H	3	3	2	1	2	M	M	D	3	2	3	3	3	
LH 5336 PCE RA	RA	103	1275	2575	2	1	3	2	2	2	H,M,L	H,M,L	2	1	1	1	3	MT	M	F	2	1.5	2	3	2	1.5
LH 5358 SS PRO	RIB	103	1328	2616	1	2.5	1.5	2	2	2.5	H,M,L	H,M	1	2	2	1	1	MT	M	F	3.5	1.5	2	1.5	2	ASR
LH 5377 VT2 PRO	RIB	103	1290	2516	1.5	2	2	2	3	1	H,M	H,M	3.5	-	-	2	1.5	M	M	D	3.5	2	2	3		ASR
LH 5418 SS PRO	RIB	104	1322	2604	2	3	1.5	3	2.5	2	H,M,L	H,M	1	2	2	2	2	M	M	F	2	1	2	2	4	ASR
LH 5420	NA	104	1285	2610	2	3	3	3	3	2	H,M,L	H,M,L	2	1	1	3	3	MT	MH	F	1	2	3	3		2

RATINGS SCALE

1.0 Excellent
2.0 Good
3.0 Average
4.0 Fair
5.0 Not Recommended

“-” Insufficient data

ASR Gene for Anthracnose Stalk Rot

Preferred Yield Environments: H= High, M= Medium or average, L= Low

Preferred Population: H= High, M= Medium or average, L= Low


Plant Height: S= Short, M= Medium, MT= Medium Tall, T= Tall

Ear Height: ML= Medium Low, M= Medium, MH= Medium High

Ear Type: F= Flex, D= Determinate

LH 5426


PCE RA

104
RM

- Very versatile with great disease ratings.
- Excellent stalks and roots.
- Very strong late season plant health with excellent drydown.
- Handles high and low populations equally well.

LH 5520


CNV

105
RM**CONVENTIONAL**

- High-yielding with strong agronomics and health!
- Very strong disease tolerance.
- Very consistent across all yield environments.
- Excellent drydown and yield/moisture ratio.

LH 5556


PCE RA

105
RM

- High-yielding PowerCore® Enlist® Corn at 105 days!
- Excellent agronomics and fall intactness.
- Wide range of soils and populations.
- Great ear line, grain quality and test weight.

LH 5559


SS

105
RM

- Strong SmartStax® Corn in the 105-day maturity.
- Very good disease tolerance including Goss's Wilt tolerance.
- Best performance with medium to high populations.
- Very adaptable hybrid.
- Position across all productivity zones.

LH 5578


SS PRO

105
RM

- High-yielding SmartStax® PRO with RNAi technology!
- Excellent emergence and early season vigor.
- Semi-fixed ear with very good test weight and drydown.
- Moves west very well with excellent Goss's Wilt ratings.

LH 5626


PCE RA

106
RM

- High-yielding with strong agronomics and health!
- Very strong disease tolerance.
- Very consistent across all yield environments.
- Excellent drydown and yield/moisture ratio.

LH 5756


PCE RA

107
RM**NEW**

- Strong multi-year performance for moderate to better acres.
- Best in central with strong ability to move north.
- Flares husks to show improved grain qualities.

LH 5850


CNV

108
RM**CONVENTIONAL**

- High-yielding conventional at 108 days!
- Excellent late season plant health.
- Very strong stalks and roots.
- Great conventional option for dual-purpose.

LH 5856

PCE RA

108
RM

- High-yielding PowerCore® Enlist® Corn at 108 days!
- Excellent late season plant health.
- Very strong stalks and roots.
- Great PowerCore® Enlist® corn option for dual-purpose.

LH 5906

PCE RA

109

RM

STALK STRENGTH	1
ROOT STRENGTH	2
DRYDOWN	2
DROUGHT STRESS	3
CORN-ON-CORN	2
ANTHRACNOSE	2

- Superstar PowerCore® Enlist® Corn at 109 days!
- Won plots all the way from Des Moines to Minneapolis in 2024.
- Medium plant stature with semi-flex ear type.
- Late stay green; excellent stalk and root; fast drydown.

LH 5976

PCE RA

109

RM

STALK STRENGTH	2
ROOT STRENGTH	2
DRYDOWN	3
DROUGHT STRESS	3
CORN-ON-CORN	2
ANTHRACNOSE	2.5

- Exciting PowerCore® Enlist® Corn performance with large, girthy flex ears.
- Loves medium densities in all environments.
- Medium-tall plant with medium-low greensnap scores.

LH 6038

SS PRO

106

RM

STALK STRENGTH	1
ROOT STRENGTH	2
DRYDOWN	2
DROUGHT STRESS	3
CORN-ON-CORN	1
ANTHRACNOSE	ASR

- Very good stalk, Goss's Wilt, and greensnap scores.
- Strong new corn-on-corn option.
- Contains gene for Anthracnose Stalk Rot resistance.

	AGRONOMICS													SILAGE		PLANT						DISEASE				
	Refuge Requirement	Relative Maturity	GDU Silk	GDU Black Layer	Early Vigor	Stay Green	Drydown	Test Weight	Drought Stress	Fungicide Response	Preferred Yield Environment	Preferred Population	Corn-on-Corn	Quantity	Quality	Stalk Strength	Root Strength	Plant Height	Ear Height	Ear Type	Ear Flex	Goss's Wilt	Northern Leaf Blight	Gray Leaf Spot	Tar Spot	Anthracnose Stalk Rot
LH 5426 PCE RA	RA	104	1310	2444	2.5	2	2.5	3	2	2	H,M,L	H,M,L	2	3	3	2	2	M	ML	D	3	3	2	2	3	2
LH 5520	NA	105	1345	2475	2.5	2	2.5	2	2	2	H,M,L	H,M,L	2	2	2	2	2	MT	MH	F	2	2	2	3	2	2
LH 5556 PCE RA	RA	105	1330	2700	2	2	3.5	2	2	2	H,M,L	H,M,L	2	-	-	2	1	MT	M	F	2	2	2	2	2.5	
LH 5559 SS	RIB	105	1345	2615	1.5	3	2	2	2	1.5	H,M,L	H,M	3	-	-	2.5	3	MT	M	F	2	1.5	3	2.5	2	
LH 5578 SS PRO	RIB	105	1287	2536	1.5	2	2	2	3	2	H,M	M	1	-	-	2	1	MT	M	F	2	1.5	2	4	3	ASR
LH 5626 PCE RA	RA	106	1345	2475	2.5	2	2.5	2	2	2	H,M,L	H,M,L	2	2	2	2	2	MT	MH	F	2	2	2	3	2	2
LH 5756 PCE RA	RA	107	1305	2700	2	3	3	2	4	2	H,M	H,M	2	3	3	2	2	MT	M	F	2	2	3	3	3	2
LH 5850	NA	108	1360	2535	2	2	2	2.5	2	2.5	H,M,L	H,M,L	1	1	1	2	2	MT	M	F	2	2	2	2	2	2
LH 5856 PCE RA	RA	108	1360	2535	2	2	2	2.5	2	2.5	H,M,L	H,M,L	1	1	1	2	2	MT	M	F	2	2	2	2	2	2
LH 5906 PCE RA	RA	109	1290	2605	2	2	2	3	3	2	H,M,L	H,M,L	2	1	2	1	2	M	M	F	2	2	4	2	2	2
LH 5976 PCE RA	RA	109	1310	2760	2	3	3	3	3	2	H,M,L	M	2	2	2	2	2	MT	MH	F	2.5	2	3	3	3	2.5
LH 6038 SS PRO	RIB	110	1315	2590	3	2	2	2	3	2	H,M	M	1	-	-	1	2	M	M	F	2	1	1	3	3	ASR

RATINGS SCALE

1.0 Excellent

2.0 Good

3.0 Average

4.0 Fair

5.0 Not Recommended

"-" Insufficient data

ASR Gene for Anthracnose Stalk Rot


Preferred Yield Environments: H= High, M= Medium or average, L= Low

Preferred Population: H= High, M= Medium or average, L= Low


Plant Height: S= Short, M= Medium, MT= Medium Tall, T= Tall

Ear Height: ML= Medium Low, M= Medium, MH= Medium High


Ear Type: F= Flex, D= Determinate

LH 6126
PCE RA**NEW****111**
RM


- Exceptional east to west power with a great disease package.
- Consistent large flex ear style on a robust plant.
- Excels with moderate populations in all yield environments.
- Impressive kernel depth, test weight, and husk cover.

LH 6220
CNV**112**
RM**CONVENTIONAL**


- One of the top products we have seen in years! Yield trendsetter!
- Strong ear flex that allows for moderate to lower populations.
- Excellent disease resistance and agronomics.
- Great conventional option for dual-purpose.

LH 6226
PCE RA**112**
RM


- One of the top products we have seen in years! Yield trendsetter!
- Strong ear flex that allows for moderate to lower populations.
- Excellent disease resistance and agronomics.
- Great PowerCore® Enlist® Corn option for dual-purpose.

LH 6243
TRE**NEW****112**
RM**Trecepta**
RIB COMPLETE


- Sharp, full-season hybrid preferring high / medium-high populations.
- Wide area of adaption — north / south / east / west.
- Very high yield potential in new genetics.

LH 6278
SS PRO**NEW****112**
RM**SmartStax PRO**
RIB COMPLETE


- Thick-eared, flex product with wide north / south / east / west movement.
- Excellent vigor and stand establishment.
- Medium to medium-low populations for best performance.

LH 6306
PCE RA**113**
RM


- Superstar PowerCore® Enlist® Corn in this maturity!
- Long, consistent ears with very large kernels.
- Very fast out of the ground, great fit for no-till situations.
- Use in zone or south of zone for high yield potential.
- Best results with fungicide.

LH 6348
SS PRO**NEW****113**
RM**SmartStax PRO**
RIB COMPLETE

- Top performing SmartStax® PRO Corn with great southern rust scores.
- Best performance at moderate-higher densities.
- Late-season intactness with strong disease package.
- Very balanced ears with grain quality, kernel depth, and test weight.

LH 6445
VT2 PRO**114**
RM**VTDoublePRO**
RIB COMPLETE

- Proven high-yielding product with girthy flex ears.
- Responds to high management including fungicide.
- Very good late-season plant health and standability.
- Can move north very well even for a 114-day RM.

LH 6477
VT2 PRO**114**
RM**VTDoublePRO**
RIB COMPLETE

- Proven high yields and strong drought tolerance!
- Outstanding stalks and roots with impressive ear development.
- Very widely adapted: moves south well.
- Impressive fall appearance and staygreen.

LH 6483 **NEW**
TRE 114 RM

Trecepta
RIB COMPLETE




STALK STRENGTH	2
ROOT STRENGTH	2
DRYDOWN	2
DROUGHT STRESS	1.5
CORN-ON-CORN	2
ANTHRACNOSE	ASR

5 4 3 2 1

- High-yielding with plant anywhere capability.
- Strong drought and heat scores with great agronomics.
- Above average performance in high pH situations.

LH 6533 **NEW**
TRE 115 RM

Trecepta
RIB COMPLETE




STALK STRENGTH	2
ROOT STRENGTH	2
DRYDOWN	3
DROUGHT STRESS	2
CORN-ON-CORN	2
ANTHRACNOSE	ASR

5 4 3 2 1

- Exciting flex ear with impressive test weight and grain quality.
- Strong disease package with good crown rot tolerance.
- Very good greensnap and Goss's Wilt scores.

LH 6615
VT2 PRO 116 RM

VTDoublePRO
RIB COMPLETE




STALK STRENGTH	2
ROOT STRENGTH	1
DRYDOWN	3
DROUGHT STRESS	2
CORN-ON-CORN	2
ANTHRACNOSE	ASR

5 4 3 2 1

- Lead product across all yield environments with wide adaptation.
- Outstanding stalks and roots with impressive ear development.
- Attractive late-season appearance and intactness.
- Very good response to fungicide.

	AGRONOMICS													SILAGE		PLANT						DISEASE				
	Refuge Requirement	Relative Maturity	GDU Silk	GDU Black Layer	Early Vigor	Stay Green	Drydown	Test Weight	Drought Stress	Fungicide Response	Preferred Yield Environment	Preferred Population	Corn-on-Corn	Quantity	Quality	Stalk Strength	Root Strength	Plant Height	Ear Height	Ear Type	Ear Flex	Goss's Wilt	Northern Leaf Blight	Gray Leaf Spot	Tar Spot	Anthrachnose Stalk Rot
LH 6126 PCE RA	RA	111	1340	2780	2	2	3	2	3	2	H,M,L	M	2	2	2	2	2	MT	MH	F	1.5	2	3	3	2	-
LH 6220	NA	112	1360	2597	3	3	2	2.5	2	2	H,M,L	M,L	3	1	1	2.5	2.5	MT	M	F	1	2	2	2	3	3
LH 6226 PCE RA	RA	112	1360	2597	3	3	2	2.5	2	2	H,M,L	M,L	3	1	1	2.5	2.5	MT	M	F	1	2	2	2	3	3
LH 6243 TRE	RIB	112	1333	2654	1	1	2	2	1.5	1.5	H,M,L	H,M	2	2	2	2	1	T	H	F	3.5	2	3	2	2	ASR
LH 6278 SS PRO	RIB	112	1320	2610	1	3	1	3	3	1.5	H,M	M,L	1	2	2	2	1	MT	MH	F	1.5	2	3	3	3	ASR
LH 6306 PCE RA	RA	113	1330	2830	2	2	3	2	2	2	H,M,L	H,M,L	2	2	3	2	3	MT	MH	F	2	2	3	2		2
LH 6348 SS PRO	RIB	113	1375	2830	2	1	3	2	3	2	H,M,L	H,M	1	3	2	2	1.5	MT	MH	F	3.5	3	2	3	3	2
LH 6445 VT2 PRO	RIB	114	1370	2855	2	2	3	2	1.5	2	H,M,L	H,M,L	2	3	3	2	2	MT	MH	F	2	2	2			ASR
LH 6477 VT2 PRO	RIB	114	1424	2834	2	1	3.5	1.5	1	2.5	H,M,L	H,M,L	2	1	1	1.5	1.5	MT	MH	F	1.5	2.5	1.5	2		ASR
LH 6483 TRE	RIB	114	1341	2670	2	3	2	2	1.5	3	H,M,L	M	2	2	2	2	2	M	M	F	2	2	2	2		ASR
LH 6533 TRE	RIB	115	1356	2700	2	2	3	1	2	3	H,M,L	H,M	2	2	2	2	2	MT	M	F	1.5	2	2	2	2	ASR
LH 6615 VT2 PRO	RIB	116	1350	2850	3	2	3	1	2	2	H,M,L	M	2	3	3	2	1	M	M	F	2	2.5	3	2	4	ASR

RATINGS SCALE

1.0 Excellent
2.0 Good
3.0 Average
4.0 Fair
5.0 Not Recommended

“.” Insufficient data

ASR Gene for Anthracnose Stalk Rot

Preferred Yield Environments: H= High, M= Medium or average, L= Low


Preferred Population: H= High, M= Medium or average, L= Low

Plant Height: S= Short, M= Medium, MT= Medium Tall, T= Tall

Ear Height: ML= Medium Low, M= Medium, MH= Medium High

Ear Type: F= Flex, D= Determinate

SOYBEAN SEED





2027 TECHNOLOGY



SOYBEANS

SOYBEAN ABBREVIATION KEY

SCN = Soybean Cyst Nematode Resistance


PRR = Phytophthora Root Rot

IDC = Iron Deficiency Chlorosis

SWM = Soybean White Mold

BSR = Brown Stem Rot

SDS = Sudden Death Syndrome



Peace of Mind Starts with **TRUST** in the Bag

From the first bag of certified oat seed produced by Willard Latham in 1947, trust and integrity was — and will always be — the driving force at Latham Seeds. It is accomplished by following our Five Standards of Trust:

1

Maintain a **hands-on production** process to allow for careful inspection at each step.

2

Ensure seed coat integrity by following a cold-handling policy.
If temperatures fall below 0 degrees, cease cleaning.

3

Offer the industry's most **robust seed treatment products** that protect yield potential.

4


Protect seed viability and maintain high germination following growing season challenges.

5

See the difference in the way our seed looks and performs.
That's the trust we've worked to earn since 1947.

ARM YOUR SOYBEANS FOR BATTLE

Introducing the best new seed treatment product on the market, Latham **SoyShield™ Ultra**! This great new treatment package contains all the protection on **SoyShield™ Plus** and includes extra protection for Pythium, Rhizoctonia, Fusarium, Phytophthora, Sudden Death Syndrome, White Mold and Soybean Cyst Nematode. We believe this product fits Latham® Country like a glove and provides the ultimate coverage on so many diseases that we deal with in the Upper Midwest and at an amazing value.



• SDS and SCN Protection



PROTECTION FOR:

- Phytophthora Root Rot
- Southern White Mold
- Sudden Death Syndrome
- Fusarium
- SCN
- Pythium
- Rhizoctonia

Seed Coating

For illustration purposes only. Image is intended as a graphic representation the seed treatment application.

Latham SoyShield™ Plus (Fungicide and Insecticide)

- Excellent protection against Phytophthora
- Two modes of protection against Pythium, Fusarium, Rhizoctonia
- Protection on seed-borne Phomopsis & Sclerotinia

Latham SoyShield™ Ultra (Fungicide, Insecticide and Bio Nematicide)

- Excellent protection against Phytophthora and White Mold
- Two modes of protection against Fusarium and SDS
- Three modes of protection against Pythium and Rhizoctonia
- Soybean Cyst Nematode protection!
- Protection on seed-borne Phomopsis & Sclerotinia

Victrato® TYMIRIUM® technology

Superior Sudden Death Syndrome and Soybean Cyst Nematode protection

- No added plant stress above or below ground
- **+3 bu/A yield advantage over leading competitor in heavy SDS pressure**
- **+1.8 bu/A yield advantage under low SDS pressure**

SoyShield™ Plus Provides Elite Efficacy ALL NEW formulation

Seed Treatment	Insects	Phytophthora	Pythium	Fusarium	Rhizoctonia	Seed-borne Phomopsis	Seed-borne Sclerotinia
SoyShield™ Plus F/I	E	E+	E+	E	E	E	E
Generic Blend F/I	G	S*	S*	G	E	G+	G+

Ratings from University Extension research: E=Excellent, G=Good, F= Fungicide, I= Insecticide
G+= Some generics do have higher protection built in. S*= Fair (rating assumed 15g MLX rate as this is most common.)

SoyShield™ Plus, SoyShield™ Ultra, Latham®, and Latham® Hi-Tech Seeds are trademarks of M.S. Technologies, L.L.C. Victrato®, TYMIRIUM®, and the Syngenta logo are trademarks of a Syngenta Group Company.

Soybean Seed TECHNOLOGY

Enlist E3 SOYBEANS		Enlist E3 SOYBEANS	
SOYBEAN	RM	SOYBEAN	RM
L00992 E3	0.09	L 2011 E3	2
L 0242 E3	0.2	NEW! L 2048 E3	2
L 0412 E3	0.4	NEW! L 2125 E3	2.1
NEW! L 0578 E3	0.5	NEW! L 2181 E3	2.1
L 0524 E3	0.5	L 2337 E3	2.3
L 0691 E3	0.6	NEW! L 2457 E3	2.4
NEW! L 0856 E3	0.8	L 2541 E3	2.5
L 0911 E3	0.9	NEW! L 2782 E3	2.7
NEW! L 1181 E3	1.1	L 2871 E3	2.8
L 1219 E3	1.2	L 2885 E3	2.8
L 1358 E3	1.3	L 3028 E3	3
L 1558 E3	1.5	L 3123 E3	3.1
L 1626 E3	1.6	L 3201 E3	3.2
NEW! L 1671 E3	1.6	L 3419 E3	3.4
L 1721 E3	1.7	L 3527 E3	3.5
L 1975 E3	1.9	NEW! L 3521 E3	3.5
NEW! L 1912 E3	1.9		

XTENDFLEX SOYBEANS	
SOYBEAN	RM
L00826 XF	0.08
L 0114 XF	0.1
L 0284 XF	0.2
NEW! L 0514 XF	0.5
L 0694 XF	0.6
NEW! L 0774 XF	0.7
L 0984 XF	0.9
L 1165 XF	1.1
L 1597 XF	1.5
L 1979 XF	1.9
NEW! L 2059 XF	2
L 2299 XF	2.2
NEW! L 2389 XF	2.3
NEW! L 2509 XF	2.5
L 2724 XF	2.7
L 3114 XF	3.1

Independent Options Yield Herbicide Flexibility

TECHNOLOGY	TRAIT	GLYPHOSATE	GLUFOSINATE	DICAMBA	2,4-D CHOLINE
XTENDFLEX SOYBEANS	XF	✓	✓	✓	
Enlist E3 SOYBEANS	E3	✓	✓		✓

* Please refer to your states individual regulations for any limitations related to the above herbicide product applications.

INTRODUCING



IN A CLASS BY THEMSELVES.

K-CLASS SOYBEANS ARE SO GOOD THEY'RE IN A CLASS OF THEIR OWN! We're proud to offer the next generation of the strongest class of soybeans in the industry. The K-Class soybeans are tailor-made for Latham® Country more than ever!

➤ **16 New K-Class Soybeans**

➤ **Newest, highest-yielding soybeans in the industry**

➤ **K-Class soybeans are so tough they're designated Ironclad®**

➤ **Tailor-made for Latham® Country**

SOYBEANS



TECHNOLOGY	SOYBEAN	RM	SOYBEAN	RM
 	NEW! L 0578 E3	0.5	NEW! L 2125 E3	2.1
	NEW! L 0856 E3	0.8	NEW! L 2181 E3	2.1
	NEW! L 1181 E3	1.1	NEW! L 2457 E3	2.4
	NEW! L 1671 E3	1.6	NEW! L 2782 E3	2.7
	NEW! L 1912 E3	1.9	NEW! L 3527 E3	3.5
	NEW! L 2048 E3	2.0		

TECHNOLOGY	SOYBEAN	RM
 	NEW! L 0514 XF	0.5
	NEW! L 0774 XF	0.7
	NEW! L 2059 XF	2.0
	NEW! L 2389 XF	2.3
	NEW! L 2509 XF	2.5

Rest Easy.
Plant IRONCLAD® & K-CLASS Soybeans.

IRONCLAD[®] SOYBEANS

for Better Peace of Mind

Simplify decision making and find peace of mind with Latham's industry-exclusive line of IRONCLAD[®] soybeans. IRONCLAD[®] soybeans are battle-tested against the region's toughest pests and pathogens including:

- Soybean Cyst Nematode
- Iron Deficiency Chlorosis
- Phytophthora Root Rot
- White Mold
- Brown Stem Rot
- Sudden Death Syndrome

TECHNOLOGY	SOYBEAN	RM	SOYBEAN	RM
 	L00992 E3	0.09	L 1912 E3	1.9
	L 0242 E3	0.2	L 1975 E3	1.9
	NEW! L 0578 E3	0.5	L 2011 E3	2.0
	NEW! L 0856 E3	0.8	NEW! L 2181 E3	2.1
	L 0911 E3	0.9	L 2457 E3	2.4
	L 1181 E3	1.1	L 3123 E3	3.1
	L 1626 E3	1.6	L 3521 E	3.5
	L 1721 E3	1.7		

TECHNOLOGY	SOYBEAN	RM
 	L00826 XF	0.08
	L 0114 XF	0.1
	NEW! L 0514 XF	0.5
	L 0694 XF	0.6
	L 1165 XF	1.1
	L 1597 XF	1.5
	NEW! L 2059 XF	2.0
	L 2724 XF	2.7

SOYBEAN PERFORMANCE RATINGS CHART

	Relative Maturity	PLANT								DISEASE			DEFENSIVE				
		Flower Color	Pubescence Color	Pod Color	Hilum Color	Plant Height	Plant Type	Emergence	Standability	Stress Tolerance	Chloride Sensitivity	SCN Resistance	Phytophthora Root Rot	Iron Deficiency Chlorosis	BSR Brown Stem Rot	SWM White Mold	SDS Sudden Death
L00826 XF	0.08	P	LT	BR	NA	MT	MB	1	2	1.5	Inc	PI 88.788	Rps 1c	2	2	2	2.5
L00992 E3	0.09	P	G	T	BF	MT	M	1.5	1.8	1.5	Inc	PI 88.788	Rps 3a	1.3	1	1.3	2.5
L 0114 XF	0.1	P	LT	BR	BL	MT	MB	1.5	1.5	1	Inc	PI 88.788	Rps 1c	2	2	2	3
L 0242 E3	0.2	P	G	T	BF	MT	M	1.5	2	1.5	Inc	PI 88.788	1.8	1.5	1	2.5	2.5
L 0284 XF	0.2	P	LT	BR	BR	MT	M	1.5	2	2	Inc	PI 88.788	Rps 1k	2.5	2	2.5	3
L 0412 E3	0.4	P	G	T	IB	MT	M	1.5	1.5	1.5	Inc	PI 88.788	1.8	1.5	1	2.3	2.3
NEW! L 0514 XF	0.5	P	LT	BR	BL	MT	M	1.5	2	1.5	Inc	PI 88.788	Rps 1c	2	1	2.2	2.2
NEW! L 0524 E3	0.5	P	G	T	IB	MT	M	1.5	1.8	1.5	Inc	PI 88.788	Rps 1c	1.8	2	2.5	2.3
L 0578 E3	0.5	P	G	T	IB	MT	M	1.5	2	2	EXC	PI 88.788	2	2.2	1	2	2
L 0691 E3	0.6	P	G	T	IB	M	M	1.5	1.5	1.5	Inc	PEKING	Rps 1c	2.3	2	2	1.8
L 0694 XF	0.6	P	LT	BR	BL	M	M	1.5	2	2	Inc	PI 88.788	Rps 3a	1.5	1.5	2.5	2
NEW! L 0774 XF	0.7	P	LT	T	BL	M	M	1.5	2.2	2	Inc	PI 88.788	Rps 1c	2.2	1	2.2	2.5
NEW! L 0856 E3	0.8	W	G	T	BF	M	M	1.5	2	1.5	Inc	PI 88.788	Rps 1c	2	1	2.2	2.2
L 0911 E3	0.9	P	G	T	IB	M	M	1.5	1.5	1.5	Inc	PEKING	Rps 1c	1.2	1	1.5	2.5
L 0984 XF	0.9	P	LT	T	BR	MT	MB	1.5	2.2	2	INC	PI 88.788	Rps 3a	2.5	1.8	2.2	2.5
NEW! L 1181 E3	1.1	P	G	T	IB	M	M	1.5	1	2	Inc	Peking	Rps 1c	1	NG	2	2
L 1165 XF	1.1	P	LT	T	BL	MT	MB	1	2	2	Inc	PI 88.788	Rps 1c	2	1	2	2.5
L 1219 E3	1.2	P	G	T	IB	MT	M	1.5	2	1.5	EXC	PI 88.788	Rps 1c	2	*	2.5	2
L 1358 E3	1.3	P	G	T	BF	M	M	1.5	2	1.8	Inc	None	Rps 3a	2.8	1	2.2	2.4
L 1558 E3	1.5	P	G	T	BF	M	M	1.5	2	2	Inc	PI 88.788	Rps 3a	2.8	1	2.4	2.2
L 1597 XF	1.5	P	G	T	IB	MT	M	1.5	2	1.5	Inc	PI 88.788	Rps 1c3a	2	1	2	2.5
NEW! L 1671 E3	1.6	P	G	T	BF	MT	MB	1.5	1	2	Inc	PEKING	Rps 1k	2	NG	2	2.5
L 1626 E3	1.6	P	LT	T	BL	M	M	1.5	2	2	INC	PI 88.788	Rps 1k	1.5	1	1.5	1.8
L 1721 E3	1.7	P	G	T	BU	MT	M	1.5	1.5	1.5	Inc	Peking	Rps 1k	2	NG	2.5	2.5
NEW! L 1912 E3	1.9	P	G	T	BF	MT	M	1.5	1.5	1.5	Inc	PI 88.788	Rps 3a	2	1	2	2
L 1975 E3	1.9	P	G	T	IB	MT	M	1.5	2	1.5	Inc	PI 88.788	Rps 1c	1.8	1	2.5	1.8
L 1979 XF	1.9	P	LT	T	BL	MT	M	1.5	1	2	Inc	PI 88.788	2	3	1	3	2
NEW! L 2048 E3	2	P	G	T	IB	MT	M	1.5	2	1.5	Inc	PI 88.788	Rps 3a	2.3	NG	2.3	2

		PLANT									DISEASE			DEFENSIVE				
		Relative Maturity	Flower Color	Pubescence Color	Pod Color	Hilum Color	Plant Height	Plant Type	Emergence	Standability	Stress Tolerance	Chloride Sensitivity	SCN Resistance	Phytophthora Root Rot	Iron Deficiency Chlorosis	BSR Brown Stem Rot	SWM White Mold	SDS Sudden Death
NEW!	L 2059 XF	2.0	P	LT	T	BL	MT	MB	1.5	1	1.5	Inc	PI 88.788	Rps 1c3a	1.8	1	2	1.8
	L 2011 E3	2.0	P	G	T	IB	MT	M	2	2.4	2	Inc	Peking	Rps 3a	2	1	1.5	2.4
NEW!	L 2125 E3	2.1	P	LT	T	IB	MT	M	1.8	1.8	2	Inc	PI 88.788	2.2	2.8	2.5	2	2.5
NEW!	L 2181 E3	2.1	P	LT	T	BL	MT	MB	1.5	2.2	2	inc	PEKING	Rps 1k	2.3	NG	2.3	2
	L 2299 XF	2.2	P	G	T	IB	MT	M	1.8	2.3	1.8	Inc	PI 88.788	Rps 1k	2.3	1	2.3	2.5
	L 2337 E3	2.3	W	LT	BR	BL	MT	M	1.8	2	1.8	Inc	PI 88.788	Rps 1k	2.5	1	2.5	2.3
NEW!	L 2389 XF	2.3	P	LT	T	BR	MT	M	1.5	1.5	1.5	Inc	PI 88.788	Rps 1c	2.5	NG	2.5	2.5
NEW!	L 2457 E3	2.4	P	LT	T	IB	MT	M	1.8	1.8	1.8	Inc	PI 88.788	Rps H3a	2.3	1	2	1.8
NEW!	L 2509 XF	2.5	P	LT	BR	BL	MT	MB	1.8	2.5	1.5	Inc	PI 88.788	Rps 1c	2.3	1	2.8	2.2
	L 2541 E3	2.5	P	LT	BR	BL	MT	M	1.8	2.3	1.8	Inc	PEKING	2	2.3	2	2.5	2.3
NEW!	L 2782 E3	2.7	W	LT	BR	BR	MT	M	1.8	2.3	1.8	Inc	PI 88.788	2	2.3	NG	2.5	2
	L 2724 XF	2.7	P	G	T	BF	M	M	1.5	1.8	2	Inc	PI 88.788	Rps 3a	2.5	1	1.8	2
	L 2871 E3	2.8	P	LT	BR	BR	MT	M	2	2.5	2	Inc	Peking	Rps 1k	2.5	1	2.5	2
	L 2885 E3	2.8	W	LT	BR	BR	MT	M	1.5	1.5	2	Inc	PI 88.788	2.4	2.5	2.5	2.5	1.8
	L 3028 E3	3	W	LT	BR	BR	MT	M	2	2	2	Inc	PI 88.788	2.4	2.8	2.5	2.5	2
	L 3114 XF	3.1	P	G	BR	IB	MT	M	1.8	2	2	Inc	PI 88.788	Rps 1c	2.2	2.5	2.5	2.5
	L 3123 E3	3.1	P	G	T	BL	MT	MB	2	2	2	Inc	PI 88.788	2	2	1.5	*	2
	L 3201 E3	3.2	P	G	T	IB	T	M	1.5	2.3	1.5	Inc	Peking	Rps 3a	2.5	1	2.8	2.3
	L 3419 E3	3.4	W	LT	BR	BL	MT	M	1.5	1.5	1.8	Inc	PI 88.788	Rps 1c	2.5	2	2.8	2.3
	L 3521 E3	3.5	P	G	T	IB	T	M	1.5	2.3	1.5	Inc	PEKING	Rps 3a	2.5	1	2	2
NEW!	L 3527 E3	3.5	P	LT	BR	BL	MT	MB	1.2	2	1.2	Inc	PI 88.788	Rps 1k	2.5	1	*	1.5

RATINGS SCALE

- 1.0 Excellent
2.0 Good
3.0 Average
4.0 Fair
5.0 Not Recommended
"- " Insufficient data

Soybean Cyst Nematode (SCN) Resistant: Varieties containing these genes are resistant to the following races of Soybean Cyst Nematode:

F= PI88788 3,6,8,9,10,12,13,14 **P= PI548402** 1,3,5,6,7,8,10,15

Phytophthora Root Rot Race Resistance: Resistant varieties carry the major gene reported to be resistant to these races:

Rps1-a: 1, 2, 10, 11, 12, 15-18, 24, 26, 27 **Rps1-c:** 1-3, 6-11, 13, 15, 17, 21, 23, 24, 26

Rps1-k: 1-11, 13-15, 17, 18, 21, 22, 24, 26 **Rps3-a:** 1-5, 8, 9, 11, 13, 14, 16, 18, 23, 25

Rps6: 1-4, 10, 12, 14-16, 18-21, 25

Brown Stem Rot: NG = No Gene

Plant Height: M = Medium, MT = Medium Tall, T = Tall

Plant Type: M = Medium, MB = Medium Bush, B = Bush

Colors: BF = Buff, BL = Black, BR = Brown, G = Gray, IB = Imperfect Black, P = Purple, W = White

INCREASE YIELDS



At Latham® Hi-Tech Seeds, our goal is to help you achieve higher yields and increase your profitability. One way we can deliver on that promise is to put our FieldXField® crop planning process to work on your farm.

Contact a Latham® representative to discover more ways Latham can increase your yield, field by field.

SOYBEAN PLACEMENT

Brand	Relative Maturity	IRONCLAD®	CLASS SOYBEANS	Offensive	Defensive
L00826 XF	0.08	■			■
L00992 E3	0.09	■			■
L 0114 XF	0.1	■			■
L 0242 E3	0.2	■			■
L 0284 XF	0.2			■	
L 0412 E3	0.4				■
NEW! L 0514 XF	0.5	■	■		
L 0524 E3	0.5				
NEW! L 0578 E3	0.5	■	■		
L 0691 E3	0.6				■
L 0694 XF	0.6	■			■
NEW! L 0774 XF	0.7		■	■	
NEW! L 0856 E3	0.8	■	■		
L 0911 E3	0.9	■			
L 0984 XF	0.9				
L 1181 E3	1.1	■			
NEW! L 1165 XF	1.1	■	■		
L 1219 E3	1.2				■
L 1358 E3	1.3			■	
L 1558 E3	1.5			■	

*These ratings are not a guarantee and can be influenced by environment, fertility and management practices.

Brand	Relative Maturity	 IRONCLAD®	 CLASS SOYBEANS	Offensive	Defensive
L 1597 XF	1.5	■			■
L 1626 E3	1.6	■			■
NEW! L 1671 E3	1.6		■		■
L 1721 E3	1.7	■			■
NEW! L 1912 E3	1.9	■	■		
L 1975 E3	1.9	■			■
L 1979 XF	1.9			■	
L 2011 E3	2.0	■			■
NEW! L 2048 E3	2.0		■	■	
NEW! L 2059 XF	2.0	■	■		
NEW! L 2125 E3	2.1		■	■	
NEW! L 2181 E3	2.1	■	■		■
L 2299 XF	2.2			■	
L 2337 E3	2.3			■	
NEW! L 2389 XF	2.3		■	■	
NEW! L 2457 E3	2.4	■	■		
L 2541 E3	2.5				■
NEW! L 2509 XF	2.5		■	■	
L 2724 XF	2.7	■			■
NEW! L 2782 E3	2.7		■	■	
L 2871 E3	2.8				■
L 2885 E3	2.8			■	
L 3028 E3	3.0			■	
L 3114 XF	3.1				■
L 3123 E3	3.1	■			■
L 3201 E3	3.2				■
L 3419 E3	3.4				■
L 3521 E3	3.5	■			■
NEW! L 3527 E3	3.5		■	■	

*These ratings are not a guarantee and can be influenced by environment, fertility and management practices.

L 00826 XF 0.09 RM

X TENDFLEX
SOYBEANS



STANDABILITY	2
PHYTOPHTHORA	Rps 1c
BROWN STEM ROT	2
WHITE MOLD	2
IRON CHLOROSIS	2



- Outstanding XtendFlex® Soybeans with Ironclad®!
- Fast out of the ground! Perfect for no-till situations.
- Rps 1c gene against Phytophthora Root Rot and strong IDC tolerance.
- Great stress tolerance. Perfect fit for North Dakota!

L 00992 E3 0.09 RM

Enlist E3
SOYBEANS



STANDABILITY	1.8
PHYTOPHTHORA	Rps 3a
BROWN STEM ROT	1
WHITE MOLD	1.3
IRON CHLOROSIS	1.3



- High-yielding Ironclad® for the early maturities.
- Off the charts IDC and PRR tolerance with Rps 3a gene!
- Medium-tall plant height with superior stress tolerance.
- Also strong on White Mold and Charcoal Rot.

L 0114 XF 0.1 RM

X TENDFLEX
SOYBEANS



STANDABILITY	1.5
PHYTOPHTHORA	Rps 1c
BROWN STEM ROT	2
WHITE MOLD	2
IRON CHLOROSIS	2



- Solid agronomic product for all soil types.
- Excellent stress tolerance with Rps 1c gene for PRR.
- Excellent IDC tolerance for broad adaptation.
- Medium-tall plant that may lean slightly at harvest.

L 0242 E3 0.2 RM

Enlist E3
SOYBEANS



STANDABILITY	2
PHYTOPHTHORA	1.8
BROWN STEM ROT	1
WHITE MOLD	2.5
IRON CHLOROSIS	1.5



- Great Ironclad® Soybeans with high yields, strong IDC!
- Medium-tall plant with a thin plant type.
- Carries the PI88788 gene against SCN with strong Charcoal scores.
- Brings new yield performance in this maturity!

L 0284 XF 0.2 RM

X TENDFLEX
SOYBEANS



STANDABILITY	2
PHYTOPHTHORA	Rps 1k
BROWN STEM ROT	2
WHITE MOLD	2.5
IRON CHLOROSIS	2.5

- XtendFlex® Soybeans with high yields in this maturity!
- One of the best Iron Chlorosis score in our lineup.
- Medium-tall plant with good standability and strong stress tolerance.
- Resistant to Brown Stem Rot; average White Mold scores.

L 0412 E3 0.4 RM

Enlist E3
SOYBEANS



STANDABILITY	1.5
PHYTOPHTHORA	1.8
BROWN STEM ROT	1
WHITE MOLD	2.3
IRON CHLOROSIS	1.5

- Exciting soybean that dominates in this maturity!
- Strong IDC tolerance and solid PRR field tolerance.
- Medium plant type with excellent standability.
- Completely resistant to Brown Stem Rot and good Charcoal scores.

NEW L 0514 XF 0.5 RM

X TENDFLEX
SOYBEANS



STANDABILITY	2
PHYTOPHTHORA	Rps 1c
BROWN STEM ROT	1
WHITE MOLD	2.2
IRON CHLOROSIS	2



- Outstanding new soybean that handles stress with huge yields in LYE!
- Strong IDC tolerance and Rps 1c gene against PRR.
- Excellent emergence scores that works well for no-till.
- Brown Stem Rot resistant.

L 0524 E3 0.5 RM

Enlist E3
SOYBEANS



STANDABILITY	1.8
PHYTOPHTHORA	Rps 1c
BROWN STEM ROT	2
WHITE MOLD	2.5
IRON CHLOROSIS	1.8

- Another new high-yielding early soybean!
- Strong IDC tolerance and Rps 1c gene against PRR.
- Medium-tall plant height with superior stress tolerance.
- Great emergence that works well in no-till situations.

NEW L 0578 E3 0.5 RM

Enlist E3
SOYBEANS



STANDABILITY	2
PHYTOPHTHORA	2
BROWN STEM ROT	1
WHITE MOLD	2
IRON CHLOROSIS	2.2



- New exciting soybean with the Chloride Excluder Gene with high yield!
- Excellent stress tolerance with Brown Stem Rot resistance.
- Strong SDS and SWM tolerance.
- PRR tolerance with excellent emergence.

L 0691 E3
0.6
RM

STANDABILITY	1.5
PHYTOPHTHORA	Rps 1c
BROWN STEM ROT	2
WHITE MOLD	2
IRON CHLOROSIS	2.3

- Earliest Peking soybean in our lineup with strong yields!
- Excellent emergence and stress tolerance.
- Medium-tall plant height with excellent standability.
- Carries the Rps 1c gene against Phytophthora Root Rot.

L 0694 XF
0.6
RM

STANDABILITY	2
PHYTOPHTHORA	Rps 3a
BROWN STEM ROT	1.5
WHITE MOLD	2.5
IRON CHLOROSIS	1.5

- Strong yield performance across multiple yield environments.
- Great western movement across the Dakotas.
- Excellent emergence for no-till environments.
- Very good IDC, Rps 3a for Phytophthora and strong Charcoal Rot tolerance.

L 0774 XF
0.7
RM

STANDABILITY	2.2
PHYTOPHTHORA	Rps 1c
BROWN STEM ROT	1
WHITE MOLD	2.2
IRON CHLOROSIS	2.2

- New exciting XtendFlex® Soybeans with high yield potential!
- Solid Stress Tolerance with big yields in LYE!
- Excellent Phytophthora Root Rot with Rps 1c gene.
- Medium plant structure with good SWM and IDC.

		PLANT									DEFENSIVE			DISEASE				
		Relative Maturity	Flower Color	Pubescence Color	Pod Color	Hilum Color	Plant Height	Plant Type	Emergence	Stantability	Stress Tolerance	Chloride Sensitivity	SCN Resistance	Phytophthora Root Rot	Iron Deficiency Chlorosis	BSR Brown Stem Rot	SWM White Mold	SDS Sudden Death
	L00826 XF	0.08	P	LT	BR	NA	MT	MB	1	2	1.5	Inc	PI 88.788	Rps 1c	2	2	2	2.5
	L00992 E3	0.09	P	G	T	BF	MT	M	1.5	1.8	1.5	Inc	PI 88.788	Rps 3a	1.3	1	1.3	2.5
	L 0114 XF	0.1	P	LT	BR	BL	MT	MB	1.5	1.5	1	Inc	PI 88.788	Rps 1c	2	2	2	3
	L 0242 E3	0.2	P	G	T	BF	MT	M	1.5	2	1.5	Inc	PI 88.788	1.8	1.5	1	2.5	2.5
	L 0284 XF	0.2	P	LT	BR	BR	MT	M	1.5	2	2	Inc	PI 88.788	Rps 1k	2.5	2	2.5	3
	L 0412 E3	0.4	P	G	T	IB	MT	M	1.5	1.5	1.5	Inc	PI 88.788	1.8	1.5	1	2.3	2.3
	L 0514 XF	0.5	P	LT	BR	BL	MT	M	1.5	2	1.5	Inc	PI 88.788	Rps 1c	2	1	2.2	2.2
	L 0578 E3	0.5	P	G	T	IB	MT	M	1.5	2	2	Exc	PI 88.788	2	2.2	1	2	2
	L 0524 E3	0.5	P	G	T	IB	MT	M	1.5	1.8	1.5	Inc	PI 88.788	Rps 1c	1.8	2	2.5	2.3
	L 0691 E3	0.6	P	G	T	IB	M	M	1.5	1.5	1.5	Inc	Peking	Rps 1c	2.3	2	2	1.8
	L 0694 XF	0.6	P	LT	BR	BL	M	M	1.5	2	2	Inc	PI 88.788	Rps 3a	1.5	1.5	2.5	2
	L 0774 XF	0.7	P	LT	T	BL	M	M	1.5	2.2	2	Inc	PI 88.788	Rps 1c	2.2	1	2.2	2.5

RATINGS SCALE

- 1.0 Excellent
- 2.0 Good
- 3.0 Average
- 4.0 Fair
- 5.0 Not Recommended
- “-” Insufficient data

Soybean Cyst Nematode (SCN) Resistant: Varieties containing these genes are resistant to the following races of Soybean Cyst Nematode:

F= PI88788 3,6,8,9,10,12,13,14 **P= PI548402** 1,3,5,6,7,8,10,15

Phytophthora Root Rot Race Resistance: Resistant varieties carry the major gene reported to be resistant to these races:

Rps1-a: 1, 2, 10, 11, 12, 15-18, 24, 26, 27 **Rps1-c:** 1-3, 6-11, 13, 15, 17, 21, 23, 24, 26

Rps1-k: 1-11, 13-15, 17, 18, 21, 22, 24, 26 **Rps3-a:** 1-5, 8, 9, 11, 13, 14, 16, 18, 23, 25


Rps6: 1-4, 10, 12, 14-16, 18-21, 25

Brown Stem Rot: NG = No Gene


Plant Height: M = Medium, MT = Medium Tall, T = Tall

Plant Type: M = Medium, MB = Medium Bush, B = Bush


Colors: BF = Buff, BL = Black, BR = Brown, G = Gray, IB = Imperfect Black, P = Purple, W = White

NEW**L 0856 E3 0.8 RM**


- New superstar soybean with high yields and solid IDC tolerance!
- Excellent emergence and awesome stress tolerance!
- Excellent Phytophthora Root Rot with Rps 1c gene.
- Nice step change in yield in this RM zone.

L 0911 E3 0.9 RM


- Excellent new Ironclad soybean with off-the-chart IDC scores!
- Peking SCN resistance and strong White Mold!
- Medium-tall plant and excellent standability.
- Very well suited for the Red River Valley and north.

L 0984 XF 0.9 RM


- Consistent outstanding performance with these XtendFlex® Soybeans.
- Great emergence and works great in no-till situations.
- Carries the Rps 3a gene against Phytophthora Root Rot.
- Medium- tall soybean with Medium bush plant type.

L 1165 XF 1.1 RM


- Ironclad® soybean with excellent stress tolerance!
- Medium tall plant with complete resistance to BSR.
- One of the best XtendFlex® Soybeans against White Mold tolerance.
- Rps 1c against Phytophthora and strong IDC.

L 1181 E3 1.1 RM


- New superstar soybean with high yields and Peking SCN source!
- Off-the-charts IDC and PRR tolerance with Rps 1c gene!
- Awesome Standability with excellent emergence!
- Consistent, superior performance across all yield environments.

L 1219 E3 1.2 RM


- Carries excluder gene for high salt soils.
- Excellent stress tolerance with Rps 1c gene for PRR.
- Strong tolerance to Sudden Death Syndrome.
- Medium-tall plant with good standability.

L 1358 E3 1.3 RM

- Very offensive soybean is an early sister to L1558E3.
- Carries the Rps 3a gene against Phytophthora Root Rot.
- Resistant to Brown Stem Rot and good White Mold.
- No SCN gene so use Victrato® seed treatment for best results.

L 1558 E3 1.5 RM

- Multiple years of dominating yields across Latham® country.
- Very strong Emergence and Standability.
- Moves well south of its maturity zone.
- Carries the Rps 3a gene for PRR and resistance to BSR.

L 1597 XF 1.5 RM

- Outstanding high-yielding XtendFlex® Soybeans with Ironclad®.
- Awesome Phytophthora Root Rot tolerance with Rps 1c and 3a genes!
- Resistant to Brown Stem Rot and strong IDC and White Mold scores.
- Medium-tall plant with good Standability.

L 1626 E3

1.6 RM





STANDABILITY	2
PHYTOPHTHORA	Rps 1k
BROWN STEM ROT	1
WHITE MOLD	1.5
IRON CHLOROSIS	1.5



- High-yielding, strong IDC soybean with Ironclad®.
- Rps 1k gene against PRR and BSR resistant.
- Excellent emergence scores works well for no-till.
- Medium-tall soybean with strong standability.

L 1671 E3

1.6 RM





STANDABILITY	1
PHYTOPHTHORA	Rps 1k
BROWN STEM ROT	NG
WHITE MOLD	2
IRON CHLOROSIS	2



- New superstar soybean with high yields and Peking SCN source!
- Rps 1k gene against PRR and BSR resistant.
- Awesome PRR tolerance with Rps 1k with excellent emergence!
- Medium-tall soybean with extremely strong standability.

L 1721 E3

1.7 RM





STANDABILITY	1.5
PHYTOPHTHORA	Rps 1k
BROWN STEM ROT	NG
WHITE MOLD	2.5
IRON CHLOROSIS	2



- Ironclad® soybean with Peking source SCN.
- Excellent emergence.
- Medium-tall plant height with superior stress tolerance.
- Rps 1k against Phytophthora Root Rot.

		PLANT								DEFENSIVE			DISEASE					
		Relative Maturity	Flower Color	Pubescence Color	Pod Color	Hilum Color	Plant Height	Plant Type	Emergence	Standability	Stress Tolerance	Chloride Sensitivity	SCN Resistance	Phytophthora Root Rot	Iron Deficiency Chlorosis	BSR Brown Stem Rot	SWM White Mold	SDS Sudden Death
	 L 0856 E3	0.8	W	G	T	BF	M	M	1.5	2	1.5	Inc	PI 88.788	Rps 1c	2	1	2.2	2.2
	L 0911 E3	0.9	P	G	T	IB	M	M	1.5	1.5	1.5	Inc	Peking	Rps 1c	1.2	1	1.5	2.5
	L 0984 XF	0.9	P	LT	T	BR	MT	MB	1.5	2.2	2	Inc	PI 88.788	Rps 3a	2.5	1.8	2.2	2.5
	L 1165 XF	1.1	P	LT	T	BL	MT	MB	1	2	2	Inc	PI 88.788	Rps 1c	2	1	2	2.5
	 L 1181 E3	1.1	P	G	T	IB	M	M	1.5	1	2	Inc	Peking	Rps 1c	1	NG	2	2
	L 1219 E3	1.2	P	G	T	IB	MT	M	1.5	2	1.5	Exc	PI 88.788	Rps 1c	2	*	2.5	2
	L 1358 E3	1.3	P	G	T	BF	M	M	1.5	2	1.8	Inc	None	Rps 3a	2.8	1	2.2	2.4
	L 1558 E3	1.5	P	G	T	BF	M	M	1.5	2	2	Inc	PI 88.788	Rps 3a	2.8	1	2.4	2.2
	L 1597 XF	1.5	P	G	T	IB	MT	M	1.5	2	1.5	Inc	PI 88.788	Rps 1c3a	2	1	2	2.5
	L 1626 E3	1.6	P	LT	T	BL	M	M	1.5	2	2	Inc	PI 88.788	Rps 1k	1.5	1	1.5	1.8
	L 1671 E3	1.6	P	G	T	BF	MT	MB	1.5	1	2	Inc	Peking	Rps 1k	2	NG	2	2.5
	L 1721 E3	1.7	P	G	T	BU	MT	M	1.5	1.5	1.5	Inc	Peking	Rps 1k	2	NG	2.5	2.5

RATINGS SCALE

- 1.0 Excellent
- 2.0 Good
- 3.0 Average
- 4.0 Fair
- 5.0 Not Recommended
- "-" Insufficient data

Soybean Cyst Nematode (SCN) Resistant: Varieties containing these genes are resistant to the following races of Soybean Cyst Nematode:

F= PI88788 3,6,8,9,10,12,13,14 **P= PI548402** 1,3,5,6,7,8,10,15

Phytophthora Root Rot Race Resistance: Resistant varieties carry the major gene reported to be resistant to these races:

Rps1-a: 1, 2, 10, 11, 12, 15-18, 24, 26, 27 **Rps1-c:** 1-3, 6-11, 13, 15, 17, 21, 23, 24, 26

Rps1-k: 1-11, 13-15, 17, 18, 21, 22, 24, 26 **Rps3-a:** 1-5, 8, 9, 11, 13, 14, 16, 18, 23, 25

Rps6: 1-4, 10, 12, 14-16, 18-21, 25

Brown Stem Rot: NG = No Gene

Plant Height: M = Medium, MT = Medium Tall, T = Tall

Plant Type: M = Medium, MB = Medium Bush, B = Bush

Colors: BF = Buff, BL = Black, BR = Brown, G = Gray, IB = Imperfect Black, P = Purple, W = White

NEW

L 1912 E3

1.9 RM




STANDABILITY	1.5
PHYTOPHTHORA	Rps 3a
BROWN STEM ROT	1
WHITE MOLD	2
IRON CHLOROSIS	2




- New superstar with high yields and solid IDC tolerance!
- Carries the Rps 3a gene against Phytophthora Root Rot with excellent emergence!
- BSR, IDC, SWM, SDS, PRR; superior defense with huge yields in ALL yield environments!
- Medium-tall soybean with extremely strong standability.

L 1975 E3

1.9 RM




STANDABILITY	2
PHYTOPHTHORA	Rps 1c
BROWN STEM ROT	1
WHITE MOLD	2.5
IRON CHLOROSIS	1.8




- Ironclad® with off-the-chart yields!
- Medium-tall soybean with solid standability.
- Carries the Rps 1c gene against PRR and PI88788 for SCN.
- Great SDS scores and resistant to BSR!

L 1979 XF

1.9 RM




STANDABILITY	1
PHYTOPHTHORA	2
BROWN STEM ROT	1
WHITE MOLD	3
IRON CHLOROSIS	3

- Chart-topping performance north and south of zone.
- Medium-tall plant with superior emergence.
- Above average SDS tolerance with good branching.
- Average White Mold and Iron Chlorosis tolerances.

L 2011 E3

2.0 RM




STANDABILITY	2.4
PHYTOPHTHORA	Rps 3a
BROWN STEM ROT	1
WHITE MOLD	1.5
IRON CHLOROSIS	2




- Combines dominant yields with Peking SCN source and Ironclad®!
- Medium-tall height with good standability and IDC.
- Strong PRR with Rps 3a gene and resistant to BSR.
- One of the best White Mold scores at Michigan State testing.

NEW

L 2048 E3

2.0 RM




STANDABILITY	2
PHYTOPHTHORA	Rps 3a
BROWN STEM ROT	NG
WHITE MOLD	2.3
IRON CHLOROSIS	2.3




- Brand new high-yielding soybean with strong SDS tolerance!
- Medium-tall product with excellent stress tolerance.
- L 1558 E3 lineage that brings yield and dominance across ALL yield environments!
- Excellent fit for north central Iowa!

NEW

L 2059 XF

2.0 RM




STANDABILITY	1
PHYTOPHTHORA	Rps 1c3a
BROWN STEM ROT	1
WHITE MOLD	2
IRON CHLOROSIS	1.8




- New exciting XtendFlex® Soybeans with high yield potential and defense!
- Medium-tall product with excellent stress tolerance.
- Dual Phytophthora genes carrying Rps 1c3a.
- SDS, IDC, SWM, BSR, PRR, Standability, Stress and Emergence — it has it ALL!

NEW

L 2125 E3

2.1 RM




STANDABILITY	1.8
PHYTOPHTHORA	2.2
BROWN STEM ROT	2.5
WHITE MOLD	2
IRON CHLOROSIS	2.8




- Very offensive soybean with high yield potential.
- Dominated in the last two years of elite tests.
- Excellent Standability.
- Strong White Mold tolerance.
- Use SoyShield™ Ultra or Victrato® for best results.

NEW

L 2181 E3

2.1 RM




STANDABILITY	2.2
PHYTOPHTHORA	Rps 1k
BROWN STEM ROT	NG
WHITE MOLD	2.3
IRON CHLOROSIS	2.3




- New superstar soybean with huge yields and Peking SCN source!
- Good SDS and SWM to handle the tough acres!
- Exceptional performance in Iowa!
- Very nice plant style with good defense for broad adaptation.



L 2299 XF 2.2 RM

STANDABILITY	2.3
PHYTOPHTHORA	Rps 1k
BROWN STEM ROT	1
WHITE MOLD	2.3
IRON CHLOROSIS	2.3

- Exciting XtendFlex® Soybeans with high yield potential!
- Very adaptable soybean with good stress tolerance.
- Emerges fast and works well for no-till.
- For best results, use with SoyShield® Ultra seed treatment.

L 2337 E3 2.3 RM

STANDABILITY	2
PHYTOPHTHORA	Rps 1k
BROWN STEM ROT	1
WHITE MOLD	2.5
IRON CHLOROSIS	2.5

- Outstanding soybean that wins yield contests!
- Great stress soybean that pops out of the ground fast.
- Carries the Rps 1k gene against PRR and PI88788 for SCN.
- For best results, use with SoyShield® Ultra seed treatment.

L 2389 XF 2.3 RM NEW

STANDABILITY	1.5
PHYTOPHTHORA	Rps 1c
BROWN STEM ROT	NG
WHITE MOLD	2.5
IRON CHLOROSIS	2.5

- New high-yielding XtendFlex® Soybeans for the mid group 2 maturity.
- A nice offensive soybean with huge top-end yield!
- Medium-tall plant height with excellent standability.
- For best results, use with SoyShield® Ultra seed treatment.

		PLANT								DEFENSIVE			DISEASE					
		Relative Maturity	Flower Color	Pubescence Color	Pod Color	Hilum Color	Plant Height	Plant Type	Emergence	Standability	Stress Tolerance	Chloride Sensitivity	SCN Resistance	Phytophthora Root Rot	Iron Deficiency Chlorosis	BSR Brown Stem Rot	SWM White Mold	SDS Sudden Death
	L 1912 E3	1.9	P	G	T	BF	MT	M	1.5	1.5	1.5	Inc	PI 88.788	Rps 3a	2	1	2	2
	L 1975 E3	1.9	P	G	T	IB	MT	M	1.5	2	1.5	Inc	PI 88.788	Rps 1c	1.8	1	2.5	1.8
	L 1979 XF	1.9	P	LT	T	BL	MT	M	1.5	1	2	Inc	PI 88.788	2	3	1	3	2
	L 2011 E3	2	P	G	T	IB	MT	M	2	2.4	2	Inc	Peking	Rps 3a	2	1	1.5	2.4
	L 2048 E3	2	P	G	T	IB	MT	M	1.5	2	1.5	Inc	PI 88.788	Rps 3a	2.3	NG	2.3	2
	L 2059 XF	2	P	LT	T	BL	MT	MB	1.5	1	1.5	Inc	PI 88.788	Rps 1c3a	1.8	1	2	1.8
	L 2125 E3	2.1	P	LT	T	IB	MT	M	1.8	1.8	2	Inc	PI 88.788	2.2	2.8	2.5	2	2.5
	L 2181 E3	2.1	P	LT	T	BL	MT	MB	1.5	2.2	2	inc	Peking	Rps 1k	2.3	NG	2.3	2
	L 2299 XF	2.2	P	G	T	IB	MT	M	1.8	2.3	1.8	Inc	PI 88.788	Rps 1k	2.3	1	2.3	2.5
	L 2337 E3	2.3	W	LT	BR	BL	MT	M	1.8	2	1.8	Inc	PI 88.788	Rps 1k	2.5	1	2.5	2.3
	L 2389 XF	2.3	P	LT	T	BR	MT	M	1.5	1.5	1.5	Inc	PI 88.788	Rps 1c	2.5	NG	2.5	2.5

RATINGS SCALE

- 1.0 Excellent
- 2.0 Good
- 3.0 Average
- 4.0 Fair
- 5.0 Not Recommended
- “-” Insufficient data

Soybean Cyst Nematode (SCN) Resistant: Varieties containing these genes are resistant to the following races of Soybean Cyst Nematode:

F= PI88788 3,6,8,9,10,12,13,14 **P= PI548402** 1,3,5,6,7,8,10,15

Phytophthora Root Rot Race Resistance: Resistant varieties carry the major gene reported to be resistant to these races:

Rps1-a: 1, 2, 10, 11, 12, 15-18, 24, 26, 27 **Rps1-c:** 1-3, 6-11, 13, 15, 17, 21, 23, 24, 26

Rps1-k: 1-11, 13-15, 17, 18, 21, 22, 24, 26 **Rps3-a:** 1-5, 8, 9, 11, 13, 14, 16, 18, 23, 25

Rps6: 1-4, 10, 12, 14-16, 18-21, 25

Brown Stem Rot: NG = No Gene


Plant Height: M = Medium, MT = Medium Tall, T = Tall

Plant Type: M = Medium, MB = Medium Bush, B = Bush

Colors: BF = Buff, BL = Black, BR = Brown, G = Gray, IB = Imperfect Black, P = Purple, W = White

NEW


L 2457 E3 2.4 RM



- Brand new high-yielding soybean with exceptional SDS tolerance!
- Excellent emergence and awesome stress tolerance!
- Medium-tall plant height with excellent standability.
- Defense with yield!


NEW

L 2509 XF 2.5 RM




- New high-yielding XtendFlex® Soybeans for the mid group 2 maturity.
- Excellent emergence and awesome stress tolerance!
- Carries the Rps 1c gene against Phytophthora Root Rot.
- Medium-tall soybean, medium bush plant type with substantial lateral branching.

L 2541 E3 2.5 RM



- New superstar soybean with high yields and Peking SCN source!
- One of the highest-yielding soybeans in 2024 Elite Trials.
- Average White Mold scores, so don't overpopulate for best results.
- An absolute must-plant soybean in the middle group 2s.


L 2724 XF 2.7 RM



- Great new XtendFlex® Soybeans that yield!
- Carries the Rps 3a gene against Phytophthora Root Rot.
- Keep off hottest IDC ground for best results.
- Excellent scores on White Mold and SDS. Resistant to BSR.


NEW

L 2782 E3 2.7 RM




- New superstar soybean with high yields and exceptional SDS tolerance!
- Medium-tall soybean with good standability that has broad adaptation.
- Excellent Emergence and Stress Tolerance.
- Step change in yield with off the chart SDS tolerance.

L 2871 E3 2.8 RM




- Peking source SCN that yields!
- Medium-tall product with excellent stress tolerance.
- Strong SDS tolerance and BSR resistant.
- Consistent performance across all yield environments.

L 2885 E3 2.8 RM



- Exciting soybean with outstanding yield results.
- Medium-tall soybean with excellent standability.
- Very strong SDS means it works east to west in Iowa.
- PI88788 gene for SCN. Use Victrato® seed treatment for heavy SCN pressure.

L 3028 E3 3.0 RM



- High-yielding soybean with strong SDS tolerance!
- Medium-tall soybean with medium plant type.
- Off the chart yield results in 2024 with strong stress tolerance.
- Use SoyShield™ Plus for best results and Victrato® seed treatment if you have high SCN pressure.



L 3114 XF 3.1 RM




STANDABILITY	2
PHYTOPHTHORA	Rps 1c
BROWN STEM ROT	2.5
WHITE MOLD	2.5
IRON CHLOROSIS	2.2

5 4 3 2 1

- High-yielding XtendFlex® Soybeans for the early group 3 maturity.
- Carries the Rps 1c gene against Phytophthora Root Rot.
- Medium tall soybean with excellent standability.
- Use SoyShield™ Plus with Victrato® seed treatment for best results.

L 3123 E3 3.1 RM




STANDABILITY	2
PHYTOPHTHORA	2
BROWN STEM ROT	1.5
WHITE MOLD	*
IRON CHLOROSIS	2

5 4 3 2 1

- Proven performance across multiple years.
- Ironclad® soybean with strong IDC and BSR.
- Strong tolerance to Sudden Death Syndrome.
- Tremendous adaptability east to west.

L 3201 E3 3.2 RM




STANDABILITY	2.3
PHYTOPHTHORA	Rps 3a
BROWN STEM ROT	1
WHITE MOLD	2.8
IRON CHLOROSIS	2.5

5 4 3 2 1

- High-yielding Peking sourced SCN soybean.
- Tall soybean with excellent stress tolerance that moves west well.
- One of the best emergence scores that works well in no-till situations.
- Rps 3a gene against PRR; completely resistant to BSR.

	PLANT									DEFENSIVE			DISEASE				
	Relative Maturity	Flower Color	Pubescence Color	Pod Color	Hilum Color	Plant Height	Plant Type	Emergence	Standability	Stress Tolerance	Chloride Sensitivity	SCN Resistance	Phytophthora Root Rot	Iron Deficiency Chlorosis	BSR Brown Stem Rot	SWM White Mold	SDS Sudden Death
  L 2457 E3	2.4	P	LT	T	IB	MT	M	1.8	1.8	1.8	Inc	PI 88.788	Rps H3a	2.3	1	2	1.8
 L 2509 XF	2.5	P	LT	BR	BL	MT	MB	1.8	2.5	1.5	Inc	PI 88.788	Rps 1c	2.3	1	2.8	2.2
L 2541 E3	2.5	P	LT	BR	BL	MT	M	1.8	2.3	1.8	Inc	Peking	2	2.3	2	2.5	2.3
 L 2724 XF	2.7	P	G	T	BF	M	M	1.5	1.8	2	Inc	PI 88.788	Rps 3a	2.5	1	1.8	2
 L 2782 E3	2.7	W	LT	BR	BR	MT	M	1.8	2.3	1.8	Inc	PI 88.788	2	2.3	NG	2.5	2
L 2871 E3	2.8	P	LT	BR	BR	MT	M	2	2.5	2	Inc	Peking	Rps 1k	2.5	1	2.5	2
L 2885 E3	2.8	W	LT	BR	BR	MT	M	1.5	1.5	2	Inc	PI 88.788	2.4	2.5	2.5	2.5	1.8
L 3028 E3	3	W	LT	BR	BR	MT	M	2	2	2	Inc	PI 88.788	2.4	2.8	2.5	2.5	2
L 3114 XF	3.1	P	G	BR	IB	MT	M	1.8	2	2	Inc	PI 88.788	Rps 1c	2.2	2.5	2.5	2.5
 L 3123 E3	3.1	P	G	T	BL	MT	MB	2	2	2	Inc	PI 88.788	2	2	1.5	*	2
L 3201 E3	3.2	P	G	T	IB	T	M	1.5	2.3	1.5	Inc	Peking	Rps 3a	2.5	1	2.8	2.3

RATINGS SCALE

- 1.0 Excellent
- 2.0 Good
- 3.0 Average
- 4.0 Fair
- 5.0 Not Recommended
- "-" Insufficient data

Soybean Cyst Nematode (SCN) Resistant: Varieties containing these genes are resistant to the following races of Soybean Cyst Nematode:

F=PI88788 3,6,8,9,10,12,13,14 **P=PI548402** 1,3,5,6,7,8,10,15

Phytophthora Root Rot Race Resistance: Resistant varieties carry the major gene reported to be resistant to these races:

Rps1-a: 1, 2, 10, 11, 12, 15-18, 24, 26, 27 **Rps1-c:** 1-3, 6-11, 13, 15, 17, 21, 23, 24, 26

Rps1-k: 1-11, 13-15, 17, 18, 21, 22, 24, 26 **Rps3-a:** 1-5, 8, 9, 11, 13, 14, 16, 18, 23, 25

Rps6: 1-4, 10, 12, 14-16, 18-21, 25

Brown Stem Rot: NG = No Gene

Plant Height: M = Medium, MT = Medium Tall, T = Tall

Plant Type: M = Medium, MB = Medium Bush, B = Bush

Colors: BF = Buff, BL = Black, BR = Brown, G = Gray, IB = Imperfect Black, P = Purple, W = White

L 3419 E3
3.4 RM

STANDABILITY	1.5
PHYTOPHTHORA	Rps 1c
BROWN STEM ROT	2
WHITE MOLD	2.8
IRON CHLOROSIS	2.5

5 4 3 2 1

- Another high-yielding soybean!
- Medium-tall soybean with great standability.
- Excellent Phytophthora Root Rot with Rps 1c gene.
- This is another soybean that would thrive with SoyShield™ Plus with Victrato® seed treatment.

L 3521 E3
3.5 RM

STANDABILITY	2.3
PHYTOPHTHORA	Rps 3a
BROWN STEM ROT	1
WHITE MOLD	2
IRON CHLOROSIS	2.5

5 4 3 2 1

- Amazing Ironclad® soybean with high yields and Peking!
- Tall soybean with excellent stress tolerance that moves west well.
- Resistant to BSR, has Rps 3a gene for PRR and resistant to Stem Canker. What more can we say, just plant it!

L 3527 E3
3.5 RM

STANDABILITY	2
PHYTOPHTHORA	Rps 1k
BROWN STEM ROT	1
WHITE MOLD	*
IRON CHLOROSIS	2.5

5 4 3 2 1

- Awesome new soybean with huge top-end yield and off-the-chart SDS Tolerance.
- Awesome PRR tolerance with Rps 1k.
- Excellent Emergence and Stress Tolerance!
- Tremendous yield with exception SDS Tolerance.

	PLANT									DEFENSIVE			DISEASE				
	Relative Maturity	Flower Color	Pubescence Color	Pod Color	Hilum Color	Plant Height	Plant Type	Emergence	Standability	Stress Tolerance	Chloride Sensitivity	SCN Resistance	Phytophthora Root Rot	Iron Deficiency Chlorosis	BSR Brown Stem Rot	SWM White Mold	SDS Sudden Death
L 3419 E3	3.4	W	LT	BR	BL	MT	M	1.5	1.5	1.8	Inc	PI 88,788	Rps 1c	2.5	2	2.8	2.3
L 3521 E3	3.5	P	G	T	IB	T	M	1.5	2.3	1.5	Inc	Peking	Rps 3a	2.5	1	2	2
L 3527 E3	3.5	P	LT	BR	BL	MT	MB	1.2	2	1.2	Inc	PI 88,788	Rps 1k	2.5	1	*	1.5

RATINGS SCALE

- 1.0 Excellent
2.0 Good
3.0 Average
4.0 Fair
5.0 Not Recommended
"-." Insufficient data

Soybean Cyst Nematode (SCN) Resistant: Varieties containing these genes are resistant to the following races of Soybean Cyst Nematode:

F= PI88788 3,6,8,9,10,12,13,14 **P= PI548402** 1,3,5,6,7,8,10,15

Phytophthora Root Rot Race Resistance: Resistant varieties carry the major gene reported to be resistant to these races:

Rps1-a: 1, 2, 10, 11, 12, 15-18, 24, 26, 27 **Rps1-c:** 1-3, 6-11, 13, 15, 17, 21, 23, 24, 26

Rps1-k: 1-11, 13-15, 17, 18, 21, 22, 24, 26 **Rps3-a:** 1-5, 8, 9, 11, 13, 14, 16, 18, 23, 25

Rps6: 1-4, 10, 12, 14-16, 18-21, 25

Brown Stem Rot: NG = No Gene

Plant Height: M = Medium, MT = Medium Tall, T = Tall

Plant Type: M = Medium, MB = Medium Bush, B = Bush

Colors: BF = Buff, BL = Black, BR = Brown, G = Gray, IB = Imperfect Black, P = Purple, W = White



Think Before You Bin Run

Verification Required. The last patent on the original Roundup Ready® soybean trait expired a few years ago and U.S. farmers may legally plant saved seed from some varieties of soybean containing the Roundup Ready® soybean trait. However, it is important that you check with your seed supplier to determine if a specific Roundup Ready® soybean variety is covered by other intellectual property rights, and if so, the policy for saving seed of that variety.

Higher Seeding Rate. A higher seeding rate may be required for bin-run Roundup Ready® soybeans compared to new branded seed.

Yield Loss. Roundup Ready 2 Yield® soybean, Roundup Ready 2 Xtend® soybean, and XtendFlex® soybean varieties typically have a higher yield opportunity than Roundup Ready® soybean varieties.

Cleanout Loss. Loss of seed and/or shrink occurs during the seed cleaning and handling processes for bin-run seed.

Seed Treatment Costs. Treating your seed will add costs—both the cost of the treatment and the application of that treatment.

Lost Income. Every bushel of saved seed you plant is a bushel you're not selling as commodity grain.

Increased Seed Management. If you plan to save and bin-run Roundup Ready® soybeans for planting, you will have to manage your harvest operations and grain storage so that the seed isn't co-mingled with other seed that's covered by intellectual property rights.

High Value of New Branded Seed

Latest Technology

- // High-yielding soybean technologies
- // Better variety options
- // Leading seed treatment options

Customer Service

- // Dealer agronomic support before and after the sale
- // Replant policy support
- // Convenient packaging and delivery

Reliable Germination and Quality

- // Rigorously tested and meets U.S. Federal Seed Act requirements
- // Free of seed-borne diseases
- // Properly stored and conditioned

For a list of Bayer's trait patents go to cs.bayerpatents.bayer.com

For questions regarding seed intellectual property, or to anonymously report a saved seed tip, you can contact Bayer in the following ways:

1. Call 1-866-99-BAYER
2. Send a letter: Trait Stewardship, 622 Emerson Rd., Suite 150, Creve Coeur, MO 63141
3. Submit a contact request at cropscience.bayer.us/contact or scan the QR code



Bayer is a member of the Seed Innovation and Protection Alliance. Visit www.seedipalliance.com to learn more. SIPA™ is a trademark of the Seed Innovation and Protection Alliance.

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba or glyphosate are approved for in-crop use with Roundup Ready 2 Xtend® soybeans. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

Roundup Ready® Technology contains genes that confer tolerance to glyphosate. **Roundup Ready® 2 Technology** contains genes that confer tolerance to glyphosate. **Roundup Ready 2 Xtend® soybeans** contain genes that confer tolerance to glyphosate and dicamba. **Products with XtendFlex® Technology** contain genes that confer tolerance to glyphosate, glufosinate and dicamba. **Glyphosate** will kill crops that are not tolerant to glyphosate. **Dicamba** will kill crops that are not tolerant to dicamba. **Glufosinate** will kill crops that are not tolerant to glufosinate. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.

Contact your Bayer retailer, refer to the Bayer Technology Use Guide, or call the technical support line at 1-888-283-6847 for recommended Roundup Ready® Xtend Crop System weed control programs.

Bayer, Bayer Cross, Roundup Ready 2 Xtend®, Roundup Ready 2 Yield®, Roundup Ready® and XtendFlex® are registered trademarks of Bayer Group. LibertyLink® and the Water Droplet Design® is a trademark of BASF Corporation. ©2022 Bayer Group. All rights reserved.

Rev 01/2022

For a list of M.S. Technologies, L.L.C. patents go to <http://www.soybeangermplasmapatent.com>



Nemasphere™
Nematode Resistance Trait

Coming in
2028*

Introducing the Only Soybean Trait System that Helps Drive Yield From All Angles

The Enlist E3® Trait and Nemasphere™ Nematode Resistance Trait

When you need a soybean trait system that fights the #1 yield robber while giving superior weed control, look no further than the Enlist E3® trait, jointly developed and owned by Corteva and M.S. Technologies, stacked with Nemasphere™ nematode resistance trait.* The system will deliver a generational breakthrough in soybean cyst nematode (SCN) management and tolerance to four industry-leading herbicide MOAs, providing tolerance to 2, 4-D choline, glyphosate, glufosinate and mesotrione.



Advanced SCN Control Below the Soil

Nemasphere nematode resistance trait is the first and only biotech trait for SCN, unlocking a breakthrough novel MOA that's proven effective against SCN.



Industry-Leading Weed Control Above the Soil

The trait system will bring broad-spectrum weed control and lasting residual activity exactly where it matters most, delivering tolerance to four industry-leading MOAs, including mesotrione tolerance.



Untapped Yield Potential

The Enlist E3 trait stacked with Nemasphere nematode resistance trait will be integrated with elite genetics to unlock the full agronomic potential of top-performing varieties.



**Scan to
Learn More**

*Available pending regulatory approvals for 2028.

The Nemasphere™ trait technology with Mesotrione tolerance is owned and developed by BASF. Nemasphere is a trademark of BASF.

The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C. BASF licensed its Nemasphere™ resistance soybean trait to Corteva and M.S. Technologies, L.L.C. for use in Enlist E3® soybeans.™ © SM Trademarks and service marks of Corteva Agriscience and its affiliated companies.



LATHAM® ALFALFA



Latham's Forage lineup was created to meet the intense demands of today's livestock farmer.



Emerge Faster. Grow Stronger.
Yield More.



LH 9120 BR

- Branch-root alfalfa with high forage yield potential
- High resistance to six major diseases along with high resistance to Aphanomyces Root Rot Race 2

Latham LH 9120 BR is the newest generation of branch root alfalfa. This product combines high forage yield potential with resistance to six major diseases along with a high resistance to Aphanomyces Root Rot Race 2. Its root system has been designed with a greater degree of the branch-rooted trait keeping more roots above the water table and providing security during freezing and thawing of soil.

Branch Root

FALL DORMANCY	3.8
WINTER HARDINESS	2.0
REGROWTH AFTER CUTTING	FAST
STEM TYPE	FINE-MEDIUM
DRI TOTAL INDEX	35/35
APHANOMYCES RACE 2	HR

LH 9400

- Resistance to Aphanomyces Races 1 and 2 and stem nematodes
- Excellent adaptability for diverse planting environments

Latham LH 9400 is a new high quality, premium alfalfa variety with top forage yields. The premium quality profile delivers more milk per acre for dairy production. LH 9400 responds well to aggressive cutting schedules and regrows rapidly for multiple cuts per season. Genetic resistance to Aphanomyces Races 1 and 2 and stem nematodes provide a winning formula for success.

Premium Quality

FALL DORMANCY	4.0
WINTER HARDINESS	1.5
REGROWTH AFTER CUTTING	VERY FAST
STEM TYPE	FINE-MEDIUM
DRI TOTAL INDEX	34/35
APHANOMYCES RACE 2	R

	Fall Dormancy	Winter Hardiness	Cuttings per Season	Forage Quality	Regrowth After Cutting	Leaf Style	Root Type	Stem Type	Wheel Traffic	Dry Soils	Heavy Wet Soils	DRI	Phytophthora Root Rot	Aphanomyces Root Rot Race 1	Aphanomyces Root Rot Race 2	Anthraxnose	Bacterial Wilt	Verticillium Wilt	Fusarium Wilt
LH 8101	3.2	1.9	3	A	Average	Multi-foliolate	Tap/Branch	Medium	A	A	A	28/35	HR	HR	MR	MR	HR	MR	R
LH 9120 BR	3.8	2.0	3-4	VG	Fast	40% Multi-foliolate	Branch	Fine-Medium	VG	G	E	35/35	HR	HR	HR	HR	HR	HR	HR
LH 9400	4.0	1.5	4-5	E	Very Fast	Multi-foliolate	Tap	Fine-Medium	E	E	E	34/35	HR	HR	R	HR	HR	HR	HR

RATING SCALE:
E = Excellent, VG = Very Good, A = Average

FALL DORMANCY:
1-2 = Very Dormant
3-4 = Dormant

WINTER HARDINESS:
1 = Extremely winterhardy
2 = Very winterhardy

HR = Highly Resistant
R = Resistant
MR = Moderately Resistant

SEED USE RESTRICTION AGREEMENT

This Seed Use Restriction Agreement (the "Agreement") applies to all users ("USER(s)") of the seed ("Seed") contained in this package. If you purchase the Seed, you agree that you and any person or entity, including employees, representatives, contractors and agents thereof, who plant, grow, cultivate or otherwise use the Seed, will abide by these use restrictions. If you open or cause any person or entity to open a package of Seed, you agree that you accept the terms of this Agreement, and you, your employees, representatives, contractors and agents will abide by these use restrictions.

SEED USE AGREEMENT

M.S. Technologies, L.L.C. ("MS TECH") and its suppliers are engaged in the business of developing and supplying for sale various varieties and/or hybrids of Seed. MS TECH and its suppliers have a substantial investment and expended substantial effort in the development and production of this seed, and in the use of subsequent production of Seed. MS TECH and its suppliers have existing contractual relationships with other distributors for the sale of seed and expectations of additional contracts for sale of seed from such distributors in the future. The purchase of the Seed includes a limited license to produce a single crop under MS TECH property rights, including (where applicable) certain U.S. patents which can be found on the package and seed tags.

In consideration of the foregoing, and in consideration of the Seed that USER has been sold or otherwise granted the right to use, USER hereby acknowledges and agrees that the production from the Seed will be used only for feed or processing, and unless USER has an agreement for such purposes, Seed and plants produced from Seed will not be used or sold for seed, breeding, or any variety or hybrid development or improvement purposes; these restrictions apply to all plants produced from Seed, including without limitation variant and inbred plants and Seed that may be contained in this package or grown from Seed.

USER acknowledges MS TECH and its suppliers have a proprietary interest in the use of subsequent production from the Seed and agrees it would be a violation of this Agreement to allow the subsequent production of the Seed to be used to create any seed variety or seed product from said production. Any export of this Seed or its progeny from the country of purchase is strictly prohibited, except that forage or grain may be exported solely for use in feeding or processing.

USER agrees and acknowledges that any use of the Seed, which is forbidden by this Agreement, will constitute a misappropriation of the property of MS TECH and its suppliers and will therefore result in a breach of this Agreement. USER agrees that MS TECH and/or its suppliers may bring an action to recover damages as a result of the breach of this Agreement, along with reasonable attorney fees and costs associated with any action commenced in regard thereto. USER further agrees that the exclusive venue for any dispute arising under this Agreement or in connection to any breach thereof shall be in the federal or state courts for Dallas County, Iowa, and hereby irrevocably consents to the personal jurisdiction of such courts. This Agreement shall be governed under the laws of the State of Iowa.

USER agrees and acknowledges that any use of the Seed, which is forbidden by this Agreement, will damage MS TECH and its suppliers' legitimate expectation of future sales of seed, and any use of Seed in violation of this Agreement will constitute an attempt to intentionally injure or destroy MS TECH and its suppliers' prospective business expectations in future sales of seed.

USER agrees and acknowledges that any use of Seed from MS TECH in violation of this Agreement will cause substantial damage to MS TECH and/or its suppliers, and that if subsequent production of the Seed is used to create a seed variety or seed product, substantial damage to MS TECH and/or its suppliers for all seed varieties or seed products thereby created will be caused. This Agreement shall not limit any other rights, legal or equitable, that MS TECH and its suppliers have but shall be accumulative.

USER agrees to only use agricultural herbicides that are expressly labeled for use in conjunction with the Seed and have received government approvals as specified in a product use guide.

NOTICE OF REQUIRED ARBITRATION

Under the seed laws of several states, arbitration, mediation or conciliation is required as a prerequisite to maintaining a legal action based upon the failure of seed to produce as represented. The consumer shall file a complaint along with the required filing fee (where applicable) with the Commissioner/Director/Secretary of Agriculture, Seed Commissioner, or Chief Agricultural Officer within such time as to permit inspection of the crops, plants or trees by the designated agency and the seller from whom the seed was purchased. A copy of the complaint shall be sent to the seller by certified or registered mail or as otherwise provided by state statute.

OTHER TERMS & CONDITIONS

For sale in the U.S. only. MS TECH assumes no responsibility for MS TECH's suppliers', distributors' or dealers' verbal and/or written claims, promises, warranties or actions which are contrary to MS TECH's normal operating policies. USER must notify MS TECH within fourteen (14) days of becoming aware of alleged issues regarding the quality or performance of the Seed.

LIMITATION OF WARRANTIES & DAMAGES

MMS TECH warrants, to the extent of the purchase price and to the extent that the packaging and label have not been compromised, that the Seed is as described on the package and on the tag attached thereto within recognized tolerances. MS TECH gives no other WARRANTY, expressed or implied, of MERCHANTABILITY or FITNESS of the Seed for any particular purpose, nor any warranty against loss due to any cause, including environmental conditions, soil conditions, chemicals or farming practices, or the response of the Seed to any such conditions. MS TECH shall not be liable for indirect, incidental or consequential damages, including loss of profits. MS TECH'S LIABILITY for damages for any cause, including breach of contract, breach of warranty, and negligence, with respect to the sale of seed is LIMITED to the purchase price of the Seed. THIS REMEDY IS EXCLUSIVE. BY ACCEPTANCE OF THIS SEED OR OPENING THIS PACKAGE, USER ACCEPTS THE TERMS HEREIN. IF USER DOES NOT AGREE WITH THESE TERMS AND CONDITIONS, USER MUST RETURN THE ORIGINAL UNOPENED SEED PACKAGE TO MS TECH WITHIN TWENTY DAYS OF RECEIPT AND USER'S SOLE REMEDY SHALL BE FOR REFUND OF THE USER'S ORIGINAL PURCHASE PRICE. MS TECH may modify and amend the terms and conditions of this Agreement without notice and in its sole discretion.

MS TECH has utilized standard industry isolation and purity procedures in the production of seed products. Because of contamination factors beyond MS TECH's control, MS TECH cannot warrant or represent that MS TECH seed products are free of other transgenic corn traits or transgenic soybean traits. Words and phrases herein shall be construed as in the singular or plural number, according to the context.

NO DICAMBA MAY BE USED IN-CROP WITH SEED WITH ROUNDUP READY® XTEND TECHNOLOGY, unless and until approved or specifically permitted in the state of application. No dicamba formulations have been registered for such in-crop use at the time this material was published. Please follow <https://www.roundupreadyxtend.com/pages/xtendimax-updates.aspx> for status updates.

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all applicable regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS.

It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba or glyphosate are approved for in-crop use with Roundup Ready 2 Xtend® soybeans. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with products with XtendFlex® Technology.

B.I. products may not yet be registered in all states. Check with your seed brand representative for the registration status in your state.

Refuge seed may not always contain the DroughtGard® trait. **IMPORTANT IRM INFORMATION:** Certain products are sold as RIB Complete® corn blend products, and do not require the planting of a structured refuge except in the Cotton-Growing Area where corn earworm is a significant pest. Products sold without refuge in the bag (non-RIB Complete) require the planting of a structured refuge. **See the IRM/Grower Guide for additional information. Always read and follow IRM requirements.**

Roundup Ready® Technology contains genes that confer tolerance to glyphosate. Roundup Ready® 2 Technology contains genes that confer tolerance to glyphosate. Roundup Ready 2 Xtend® soybeans contain genes that confer tolerance to glyphosate and dicamba. Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Plants that are not tolerant to glyphosate may be damaged or killed if exposed to those herbicides. Plants that are not tolerant to glyphosate, dicamba, and/or glufosinate may be damaged or killed if exposed to those herbicides. Plants that are not tolerant to dicamba may be damaged or killed if exposed to those herbicides. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.

Insect control technology provided by Vip3A is utilized under license from Syngenta Crop Protection AG. Herculex® is a registered trademark of Dow AgroSciences LLC. Agrisure Viptera® is a registered trademark of a Syngenta group company. LibertyLink logo® and LibertyLink® are trademarks of BASF Corporation. Respect the Refuge and Corn Design® and Respect the Refuge® are registered trademarks of National Corn Growers Association. Acceleron®, DroughtGard®, RIB Complete®, Roundup Ready 2 Technology and Design®, Roundup Ready 2 Xtend®, Roundup Ready 2 Yield®, Roundup Ready®, SmartStax®, Trecepta®, VT Double PRO®, VT4PRO™ and XtendFlex® are trademarks of Bayer Group.

Roundup Ready 2
TECHNOLOGY®

Roundup Ready 2 YIELD
TECHNOLOGY

Roundup Ready 2
CORN

LIBERTY LINK



Respect the Refuge® and Respect the Refuge and Corn Design® are registered trademarks of National Corn Growers Association. All other trademarks are the property of their respective owners.



Planting Refuges. Preserving Technology

Before opening a bag of seed, be sure to read, understand and accept the stewardship requirements, including applicable refuge requirements for insect resistance management, for the biotechnology traits expressed in the seed as set forth in the Technology/Stewardship Agreement that you sign. By opening and using a bag of seed, you are reaffirming your obligation to comply with the most recent stewardship requirements.

Seed Piracy Statement

Seed containing a patented trait can only be used to plant a single commercial crop. It is unlawful to save and replant Roundup Ready 2 Yield® soybeans, Roundup Ready 2 Xtend® soybeans, and XtendFlex® soybeans. Additional information and limitations on the use of these products are provided in the Technology Stewardship Agreement and the Bayer Technology Use Guide: tug.bayer.com. U.S. patents for Bayer technologies can be found at the following webpage: cs.bayerpatents.bayer.com

Seeds containing the PowerCore® Enlist®, PowerCore® Enlist® Refuge Advanced®, Enlist® Corn - REFUGE and Enlist E3® traits are protected under one or more U.S. patents which can be found at www.traitstewardship.com. The purchase of this traited seed includes a limited

license to produce a single crop in the United States. The use of seed from such a crop and/or the progeny thereof for propagation or seed multiplication or for production or development of a hybrid or different variety of seed is strictly prohibited. You acknowledge and agree to be bound by the terms and conditions of the following documents in effect at the time of planting of this seed: (i) the Corteva Agriscience Technology Use Agreement and (ii) the Product Use Guides for all technologies in this seed, including the Herbicide Resistance Management (HRM), and Use requirements.

To plant PowerCore Enlist, PowerCore Enlist Refuge Advanced, Enlist Corn - REFUGE and Enlist E3 seed, you must have a limited license from Corteva Agriscience (or other appropriate affiliates). In consideration of the foregoing, Corteva Agriscience grants to the Grower a limited license to use its technology to produce only a single commercial crop in the United States under the terms and conditions set forth in the Technology Use Agreement in effect at the time of planting of this seed.

Enlist E3® soybean seeds containing the Enlist® trait can only be used to plant a single commercial crop. It is unlawful to save and replant Enlist E3® soybeans. Additional information and limitations on the use of these products are provided in the Corteva Agriscience Technology Use Agreement and Enlist® Soybean Product Use Guide. U.S. patents for Corteva Agriscience technologies can be found at www.traitstewardship.com.

IRM - Properly managing trait technology is key to preserving it as a long term crop protection tool. **Growers who fail to comply with IRM requirements risk losing access to this product.** To help preserve the effectiveness of B.t. corn technologies, growers planting B.t. corn technologies are required to follow an IRM Plan. Consult the Corn Product Use Guide for appropriate refuge configuration options. Before opening a bag of seed, be sure to read, understand and accept the stewardship requirements, including applicable refuge requirements for insect resistance management, for the biotechnology traits expressed in the seed as set forth in the Technology Use Agreement and Product Use Guide. By opening and using a bag of seed, you are reaffirming your obligation to comply with the most recent stewardship requirements. For complete details on IRM requirements for hybrids with Bt technology, including refuge examples and important information on the use of insecticides on refuge and Bt corn acres, please consult appropriate Product Use Guide. Go to www.corteva.us/Resources/trait-stewardship.html to download the latest Corteva Agriscience Corn Product Use Guide.

Corteva Agriscience is a member of Excellence Through Stewardship® (ETS). Corteva Agriscience products are commercialized in accordance with ETS Product Launch Stewardship Guidance and in compliance with the Corteva Agriscience policies regarding stewardship of those products. In line with these guidelines, our product launch process for responsible launches of new products includes a longstanding process to evaluate export market information, value chain consultations, and regulatory functionality. Growers and end-users must take all steps within their control to follow appropriate stewardship requirements and confirm their buyer's acceptance of the grain or other material being purchased. For more detailed information on the status of a trait or stack, please visit www.biotechadestatus.com. Excellence Through Stewardship® is a registered trademark of Global Stewardship Group.

Enlist Duo® and Enlist One® herbicides with Colex-D® technology are the only herbicides containing 2,4-D that are authorized for preemergence and postemergence use with Enlist® crops. Enlist Duo and Enlist One herbicides are not registered for use or sale in all states and countries; are not registered in AK, CA, CT, HI, ID, MA, ME, MT, NH, NV, OR, RI, UT, VT, WA and WY. Contact your state pesticide regulatory agency if you have questions about the registration status of Enlist® herbicides in your area. **ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USE IN THE STATE AND COUNTY OF APPLICATION. USE OF PESTICIDE PRODUCTS, INCLUDING, WITHOUT LIMITATION, 2,4-D-CONTAINING PRODUCTS NOT AUTHORIZED FOR USE WITH ENLIST CROPS, MAY RESULT IN OFF-TARGET DAMAGE TO SENSITIVE CROPS/AREAS AND/OR SUSCEPTIBLE PLANTS.** Additional product-specific stewardship requirements for Enlist crops, including the Enlist Product Use Guide, can be found at www.traitstewardship.com.

POWERCORE® multi-event technology developed by Corteva Agriscience LLC and Monsanto. LibertyLink® and the Water Droplet Design are registered trademarks of BASF. PowerCore® and Roundup Ready® are registered trademarks of Bayer Group. Always follow IRM, grain marketing and all other stewardship practices and pesticide label directions. B.t. products may not yet be registered in all states. Check with your seed representative for the registration status in your state. The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C.™ Trademarks of Corteva Agriscience and its affiliated companies.



Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Growers should refer to <http://www.biotechadestatus.com/> for any updated information on import country approvals. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

Important: Always read and follow label and bag tag instructions; only those labeled as tolerant to glufosinate may be sprayed with glufosinate ammonium-based herbicides.

Agrisure®, Agrisure® Above, Agrisure® Total, Artesian®, Duracade®, DuracadeViptera™, Viptera®, and E-Z Refuge® are trademarks of a Syngenta Group Company. Corn trait technology incorporated into these seeds is commercialized under license from Syngenta Seeds, LLC. Herculex® Technology incorporated into these seeds is commercialized under license from Corteva Agriscience LLC. HERCULEX® and the HERCULEX Shield are trademarks of Corteva Agriscience LLC.

Seed products with the LibertyLink® (LL) trait are resistant to the herbicide glufosinate ammonium, an alternative to glyphosate in corn, and combine high-yielding genetics with the powerful, non-selective, post-emergent weed control of Liberty® herbicide for optimum yield and excellent weed control. LibertyLink®, Liberty® and the Water Droplet logo are registered trademarks of BASF. More information about Duracade® is available at <http://www.biotechadestatus.com>

LibertyLink seeds combine elite genetics and excellent crop safety with built-in tolerance to the powerful, post-emergence weed control of Ignite. The LibertyLink® trait with Ignite® herbicide enables growers to effectively avoid or manage weed resistance as the only non-selective alternative to glyphosate-tolerant systems. Seed products with the LibertyLink (LL) trait are resistant to the herbicide glufosinate ammonium, an alternative to glyphosate, and combine high-yielding genetics with the powerful, non-selective, post-emergent weed control of Ignite herbicide for optimum yield and excellent weed control.

LibertyLink Corn

The LibertyLink® system enables powerful Liberty®, the only working non-selective herbicide that is effective on tough-to-control grasses and broadleaves, for over-the-top use on over 50 million LibertyLink®-enabled corn hybrid acres with Herculex®, Genuity® SmartStax® and Agrisure® hybrids with corn borer protection. The LibertyLink system is a simply better solution built upon high-performing genetics and excellent weed control that delivers real yield.

LibertyLink® GT27® Soybeans

LibertyLink® GT27® soybeans offer triple stack tolerance to Liberty, glyphosate, and, in select counties specified on the label, the first HPPD based herbicide for soybeans—Alite™ 27. Other HPPD herbicides not labeled for use with LibertyLink GT27 or isoxaflutole-resistant soybeans may cause significant crop injury. Alite 27 herbicide is only available for use in labeled counties. Always read and follow label directions. Alite 27 is a restricted use herbicide. Alite, Liberty, and LibertyLink are registered trademarks of BASF. GT27 is a trademark of M.S. Technologies, L.L.C. MS Technologies is a trademark of M.S. Technologies, L.L.C. ©2022 BASF Corporation / M.S. Technologies, L.L.C. All Rights Reserved. APN 20-INT-0014



Liberty Herbicide

Every missed weed can impact yield. Liberty® herbicide is a simply better solution for weed control that handles tough-to-control and resistant weeds.

- Only working non-selective herbicide for grasses and broadleaf weed control
- Unique site of action, unlike any other herbicide on the market
- S.T.O.P.s tough-to-control and resistant weeds
- Neighbor-friendly and convenient to use

With more than 60 million acres of canola, corn, cotton and soybeans now having the LibertyLink trait, growers can spray powerful Liberty®, the only working non-selective herbicide to handle tough-to-control weeds, including Palmer amaranth, giant ragweed, Kochia, waterhemp and marestail.

LibertyLink Patent Statement

Seeds containing the LibertyLink® trait are protected under multiple U.S. patents and may be planted only to produce one (1) commercial crop, and only after signing a BASF Grower Technology Agreement. It is illegal to save or catch seeds containing the LibertyLink trait for use as planting seed or for transfer to others for use as planting seed.

Performance

Performance may vary from location to location and from year to year, as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible and should consider the impacts of these conditions on the grower's fields.

Latham Hi-Tech Seeds Stewardship Policy

Latham strongly urges customer compliance with all applicable contracts and agreements, including Grower License Agreements, and will cooperate with verifications and investigations of suspected agreement violations. These contracts and agreements include, but are not limited to:

- Grain marketing requirements, including channeling requirements.
- Insect Resistance Management (IRM) requirements, including required crop refuge.
- Seed piracy requirements, including violations of saved seed provisions.
- Dealer agreements concerning licensed seed products.

Important: Always read and follow label instructions. Some products may not be registered for sale or use in all states or counties. Please check with your local extension service to ensure registration status. Apron XL®, Cruiser®, Maxim®, Saltro®, Vayantis® and Vibrance® are trademarks of a Syngenta Group Company.

Seed Care. Syngenta supports a AFRA Section 2(ee) recommendation for Saltro® for suppression of Red Crown Rot in AR, IL, IN, IA, KY, MO and TN. Please see the Section 2(ee) recommendation to confirm that the recommendation is applicable in your state. The Section 2(ee) recommendation for Saltro should be in the possession of the user at the time of application.



Latham® Hi-Tech Seeds is a trademark of M.S. Technologies, L.L.C.,
103 Avenue D, West Point, IA 52656

©2026 M.S. Technologies, L.L.C. While every attempt has been made to provide correct, current and updated information in this Seed Guide, Latham Hi-Tech Seeds is not responsible for typographical errors, and/or errors of omission. Although the information and recommendations in this publication are presented in good faith and believed to be correct, Latham Hi-Tech Seeds makes no representations or warranties as to the completeness or accuracy of the information. Not all products listed in this Seed Guide may be available in some areas.



Latham®
HI-TECH SEEDS

FARMER
Focused™

LathamSeeds.com

131 180th Street, Alexander, IA 50420 | 1.877.GO.LATHAM (1.877.465.2842)

© M.S. Technologies, L.L.C. All rights reserved. **Latham®**, **Latham® Hi-Tech Seeds**, and **Farmer Focused™** are trademarks of M.S. Technologies, L.L.C., 103 Avenue D, West Point, IA 52656. This material is intended for use by Latham Hi-Tech Seeds and its licensed partners, and may not be distributed or copied in whole or in part without the written consent of Latham Hi-Tech Seeds.